ELSEVIER

Aquaculture 138 (1995) 367–401

Aquaculture

Author Index, Volumes 129–138

Aaltonen, T., *see* Hietala, J. et al.
Aas, G.H., *see* Hatlen, B. et al.
Abarca, J.B., *see* Bongers, A.B.J. et al.
Abellán, E., *see* López-Albors, O. et al.
Aboutboul, Y., Arviv, R. and Rijn, J.v.
Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification 133 (1995) 21
Abucay, J.S., *see* Mair, G.C. et al.
Adachi, S., *see* Ijiri, S. et al.
Adambounou, L., *see* Guillou, A. et al.
Adambounou, L., *see* Guillou, A. et al.
Agnèse, J.-F., Otémé, Z.J. and Gilles, S.
Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840 ..... 131 (1995) 197
Aguila, P., *see* Toro, J.E. et al.
Aguilar, M.B., *see* Huberman, A. et al.
Aida, K., *see* Sato, N. et al.
Aida, K., *see* Yang, W. et al.
Akhtar, N.
Socio-economic settings and technological aspects of inland fishermen of the Punjab, Pakistan 129 (1995) 478
Alami-Durante, H., *see* Fauconneau, B. et al.
Alfonso, E., *see* Gallardo, P.P. et al.
Al-Harbi, A.H., *see* Siddiqui, A.Q. et al.
Allan, G.L., *see* Rowland, S.J. et al.
Allan, G.L., Moriarty, D.J.W. and Maguire, G.B.
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds 130 (1995) 329
Allan, G.L. and Maguire, G.B.
Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell) 131 (1995) 59
Amaro, C., *see* Esteve, C. et al.
Amend, D.F., *see* Slater, C.H. et al.
Anantha, C.S., *see* Bhaskar, N. et al.
Anav, F.A., *see* Tandler, A. et al.
Anderson, D.M., *see* Anderson, J.S. et al.
Anderson, J.S., Lall, S.P., Anderson, D.M. and McNiven, M.A.
Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*) . 138 (1995) 291
André, F., *see* Perchec, G. et al.
Andrew Sullivan, J. and Reigh, R.C. Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*morone saxatilis* ♀ × *mormone chrysops* ♂)138 (1995) 313
Angka, S.L., Lam, T.J. and Sin, Y.M.

Elsevier Science B.V.

Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*) 130 (1995) 103
Aničić, I., Treer, T. and Safner, R.
The influence of a nutritive antibiotic on the production results in 1-year-old carp (*Cyprinus carpio*) fingerlings 129 (1995) 251
Antony, J.M., *see* Bhaskar, N. et al.
Appelbaum, S., Craig Clarke, W., Shelbourn, J.E., Jensen, J.O.T., C Whyte, J.N. and Iwama, G.K.
Studies on rearing of lingcod *Ophiodon elongatus* 135 (1995) 219
Arai, K., *see* Matsubara, K. et al.
Arai, K., Ikeno, M. and Suzuki, R.
Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids 137 (1995) 131
Arieli, B., *see* Schneegurt, M.A. et al.
Arimoto, M., Yamazaki, T., Mizuta, Y. and Furusawa, I.
Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV) 132 (1995) 213
Arnold, C.R., *see* Davis, D.A. et al.
Arviv, R., *see* Aboutboul, Y. et al.
Arzel, J., Métailler, R., Kerleguer, C., Le Delliou, H. and Guillaume, J.
The protein requirement of brown trout (*Salmo trutta*) fry 130 (1995) 67
Åsgård, T., *see* Sigholt, T. et al.
Avnimelech, Y., Mozes, N., Diab, S. and Kochba, M.
Rates of organic carbon and nitrogen degradation in intensive fish ponds 134 (1995) 211
Ayyar, S.P., *see* Basavaraju, Y. et al.
Azevedo, C., *see* Sagristà, E. et al.
Bacher, C., *see* Bougrier, S. et al.
Bachère, E., *see* Hervio, D. et al.
Bachère, E., *see* Mialhe, E. et al.
Bachère, E., Mialhe, E., Noël, D., Boulo, V., Morvan, A. and Rodriguez, J.
Knowledge and research prospects in marine mollusc and crustacean immunology 132 (1995) 17
Bailey, H.C. and Doroshov, S.I.
The duration of the interval associated with successful inflation of the swimbladder in larval striped bass (*Morone saxatilis*) 131 (1995) 135
Bailey, J.K., *see* Friars, G.W. et al.
Bakos, J., *see* Gorda, S. et al.
Bakos, J. and Gorda, S.
Genetic improvement of common carp strains using intraspecific hybridization 129 (1995) 183
Baldwin, J., *see* Wells, R.M.G. et al.
Balebona, M.C., Moriñigo, M.A., Faris, A., Krovacek, K., Månsson, I., Bordas, M.A. and Borrego, J.J.
Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus 132 (1995) 113
Balkay, I., *see* Krasznai, Z. et al.
Balkay, L., *see* Krasznai, Z. et al.
Ballment, E., *see* Benzie, J.A.H. et al.
Balogum, M.
The prospects of indigenous alternative feed resources for carp culture in Nigeria 129 (1995) 391
Balon, E.K.
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers 129 (1995) 3
Balouchi, A.N., *see* Esteky, A.A. et al.
Barja, J.L., *see* Novoa, B. et al.
Barja, J.L., *see* Toranzo, A.E. et al.
Barker, G.A. and Kehoe, E.
Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*

Barlow, C.G., Pearce, M.G., Rodgers, L.J. and Clayton, P.
Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile barramundi *Lates calcarifer* (Bloch) 138 (1995) 159
Barnett, H.J., *see* Hardy, R.W. et al.
Barry, T.P., Malison, J.A., Lapp, A.F. and Procarione, L.S.
Effects of selected hormones and male cohorts on final oocyte maturation, ovulation, and steroid production in walleye (*Stizostedion vitreum*) 138 (1995) 331
Barth, T., Hauzerova, L., Barthova, J., Kouril, J., Hamackova, J. and Vachta, R.
Extraction of proteolytic enzymes of gastrointestinal tract extracted from offal viscera of carp and tilapia 129 (1995) 251
Barthova, J., *see* Barth, T. et al.
Bartley, D.M. and Hallerman, E.M.
A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries 137 (1995) 1
Bartnicka, B., *see* Jezierska, B. et al.
Basavaraju, Y., Devaraj, K.V. and Ayyar, S.P.
Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus* 129 (1995) 187
Bauce, G., *see* Marchetti, M. et al.
Baudin Laurencin, F., *see* Vigneulle, M. et al.
Bayne, B.L., *see* Hedgecock, D. et al.
Beacham, T.D., *see* Withler, R.E. et al.
Beal, B.F., Lithgow, C.D., Shaw, D.P., Renshaw, S. and Ouellette, D.
Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field test of site, clam size, and intraspecific density 130 (1995) 145
Beames, R.M., *see* Teskeredžić, Z. et al.
Beardmore, J.A., *see* Mair, G.C. et al.
Becker, K. and Focken, U.
Effect of feed supplementation with L-carnitine on growth, metabolism and body composition of carp (*Cyprinus carpio* L.) 129 (1995) 341
Begum, N., *see* Rahman, M.A. et al.
Beiras, R., *see* Camacho, A.P. et al.
Bell, J.G., *see* McEvoy, L.A. et al.
Bell, T.A., *see* Park, E.D. et al.
Benatti, G., *see* Zoccarato, I. et al.
Ben-Dom, N., *see* Cherfas, N.B. et al.
Ben-Dom, N., *see* Gomelsky, B.I. et al.
Benfey, T.J., *see* McGeachy, S.A. et al.
Benfey, T.J., *see* Ojolick, E.J. et al.
Bentzen, P., *see* McConnell, S. et al.
Benzie, J.A.H., *see* Garcia, D.K. et al.
Benzie, J.A.H., Kenway, M., Ballment, E., Frusher, S. and Trott, L.
Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus* .. 133 (1995) 103
Benzie, J.A.H., Frusher, S.D., Kenway, M. and Trott, L.
Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments 136 (1995) 57
Bercsenyi, M., *see* Csengeri, I. et al.
Berge, J.A., *see* Hektoen, H. et al.
Bergot, P., *see* Geurden, I. et al.
Berkowitz, B., *see* Rijn, J.v. et al.
Bern, H.A., *see* Siharath, K. et al.
Bern, H.A., *see* Young, G. et al.
Bernardino, G., *see* Foresti de Almeida-Toledo, L. et al.
Beveridge, M.C.M., *see* Steffens, W. et al.
Bhadra, A., *see* Rahman, M.A. et al.

Bhaskar, N., Setty, T.M.R., Reddy, G.V.S., Manoj, Y.B., Anantha, C.S., Raghunath, B.S. and Antony, J.M.
Incidence of *Salmonella* in cultured shrimp *Penaeus monodon* 138 (1995) 257
Bianchini, M.L., *see* Zoccarato, I. et al.
Bienfang, P.K., *see* Watanabe, W.O. et al.
Bieniarz, K., Szymacha, J. and Epler, P.
Gonad development, ovulation and spermiation in carp under highly eutrophicated pond conditions 129 (1995) 133
Bigoni, A.P.V., *see* Foresti de Almeida-Toledo, L. et al.
Billard, R., *see* Linhart, O. et al.
Billard, R., *see* Perchec, G. et al.
Billard, R., *see* Suquet, M. et al.
Billard, R., Cosson, J., Perchec, G. and Linhart, O.
Biology of sperm and artificial reproduction in carp 129 (1995) 95
Biosca, E.G., *see* Esteve, C. et al.
Bíró, P.
Management of pond ecosystems and trophic webs 129 (1995) 373
Bjordal, Å., *see* Fernö, A. et al.
Björnsson, B.
The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus* L.) reared in large tanks for 3 years 138 (1995) 281
Black, K.D., *see* Kiemer, M.C.B. et al.
Blanc, G., *see* Bris, H.L. et al.
Blancheton, J.-P. and Canaguier, B.
Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system 133 (1995) 215
Blanco, A., *see* López-Albors, O. et al.
Blázquez, M., Piferrer, F., Zanuy, S., Carrillo, M. and Donaldson, E.M.
Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α-methyltestosterone prior to sex differentiation 135 (1995) 329
Blow, P.Q.C., *see* Stirling, H.P. et al.
Bocquené, G., *see* Bris, H.L. et al.
Bogatu, D., Bumbaru, S., Oprea, L., Trofimov, L., Novac, C. and Metaxa, I.
Expert system for ichthyopathological diagnosis 129 (1995) 437
Bogut, I., Opačak, A. and Stević, I.
The influence of polyzymes added to the food on the growth of carp fingerlings (*Cyprinus carpio* L.) 129 (1995) 252
Bøgwald, J., *see* Gildberg, A. et al.
Boll, M.G. and Garádi, P.
Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives 129 (1995) 469
Bombeo-Tuburan, I., Fukumoto, S. and Rodriguez, E.M.
Use of the golden apple snail, cassava, and maize as feeds for the tiger shrimp, *Penaeus monodon*, in ponds 131 (1995) 91
Bongers, A.B.J., Abarca, J.B., Zandieh Doulabi, B., Eding, E.H., Komen, J. and Richter, C.J.J.
Maternal influence on development of androgenetic clones of common carp, *Cyprinus carpio* L. 137 (1995) 139
Bordas, M.A., *see* Balebona, M.C. et al.
Borlongan, I.G., *see* Sumagaysay, N.S. et al.
Borrego, J.J., *see* Balebona, M.C. et al.
Borrego, J.J., *see* Castro, D. et al.
Bosakowski, T., *see* Wagner, E.J. et al.
Bosakowski, T. and Wagner, E.J.
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*) 130 (1995) 159

Bougrier, S., Geairon, P., Deslous-Paoli, J.M., Bacher, C. and Jonquières, G.
Allometric relationships and effects of temperature on clearance and oxygen consumption rates of *Crassostrea gigas* (Thunberg) 134 (1995) 143
Bouix, G., *see* Bourmaud, C.A.-F. et al.
Boulo, V., *see* Bachère, E. et al.
Boulo, V., *see* Hervio, D. et al.
Boulo, V., *see* Mialhe, E. et al.
Bourmaud, C.A.-F., Romestand, B. and Bouix, G.
Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins 132 (1995) 53
Brackett, J. and Teskeredzic, Z.
Growth: Chairmen's Summary 129 (1995) 345
Brämick, U., Puckhaber, B., Langholz, H.-J. and Hörstgen-Schwark, G.
Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions 137 (1995) 343
Brennan, G.P., *see* Ramasamy, P. et al.
Bridges, R.B., *see* Teskeredžić, Z. et al.
Bris, H.L., Maffart, P., Bocquené, G., Buchet, V., Galgani, F. and Blanc, G.
Laboratory study on the effect of dichlorvos on two commercial bivalves 138 (1995) 139
Bromage, N.R., *see* Hussain, M.G. et al.
Brown, C.L. and Kim, B.G.
Combined application of cortisol and triiodothyronine in the culture of larval marine finfish 135 (1995) 79
Brown, J.A., *see* Clark, D.S. et al.
Brown, J.A., *see* Srivastava, R.K. et al.
Bruno, D.W., Collins, R.O. and Morrison, C.M.
The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout, *Oncorhynchus mykiss* Walbaum, in Scotland 133 (1995) 341
Brzeski, V.J. and Doyle, R.W.
A test of an on-farm selection procedure for tilapia growth in Indonesia 137 (1995) 219
Buchet, V., *see* Bris, H.L. et al.
Buchmann, K., Slotved, H.-C. and Dana, D.
Gill parasites from *Cyprinus carpio* in Indonesia 129 (1995) 438
Bullock, A.M., *see* Kiemer, M.C.B. et al.
Bumbaru, S., *see* Bogatu, D. et al.
Bunnell, P.R., *see* Gingerich, W.H. et al.
Burhanuddin, ., *see* Soto, C.G. et al.
Byers, R.E., *see* Sampath-Kumar, R. et al.
Caceres, L.A., *see* Martínez, G. et al.
Cáceres-Martínez, J., Robledo, J.A.F. and Figueras, A.
Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain) 130 (1995) 15
Cadoret, J.P., *see* Gendreau, S. et al.
Cadoret, J.P., *see* Mialhe, E. et al.
Cailletaux, G., *see* Hervio, D. et al.
Calvi, S.L., *see* Zoccarato, I. et al.
Camacho, A.P., Labarta, U. and Beiras, R.
Growth of mussels (*Mytilus edulis galloprovincialis*) on cultivation rafts: influence of seed source, cultivation site and phytoplankton availability 138 (1995) 349
Canaguier, B., *see* Blancheton, J.-P. et al.
Cañavate, J.P., *see* Marin-Magan, V. et al.
Capra, M.F., *see* Gu, H. et al.
Carli, A., Mariottini, G.L. and Pane, L.
Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda: Harpacticoida) 134 (1995) 113

Carral, J.M., *see* Sáez-Royuela, M. et al.
Carrillo, M., *see* Blázquez, M. et al.
Castellanos-Molina, R., *see* Reyes-Sosa, C.F. et al.
Castro, D., Luque, A., Santamaría, J.A., Maes, P., Martínez-Manzanares, E. and Borrego, J.J.
Development of immunological techniques for the detection of the potential causative agent of the brown ring disease 132 (1995) 97
Catacutan, M.R. and Coloso, R.M.
Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer* 131 (1995) 125
Cavari, B., Noso, T. and Kawauchi, H.
Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata* 137 (1995) 171
Cazabon, D., *see* Kerry, J. et al.
Celada, J.D., *see* Sáez-Royuela, M. et al.
Cerdà, J., Pou, M.N., Gállego, L. and Comas, M.A.
Economic importance of mirror carp (*Cyprinus carpio* var. *specularis*) release in agricultural irrigation ponds on the island of Majorca, Spain 129 (1995) 475
Chaber, J., *see* Witeska, M. et al.
Chartois, H., *see* Person-Le Ruyet, J. et al.
Chatakondi, N., Lovell, R.T., Duncan, P.L., Hayat, M., Chen, T.T., Powers, D.A., Weete, J.D., Cummins, K. and Dunham, R.A.
Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene 138 (1995) 99
Chavez, P., *see* Riquelme, C. et al.
Chen, J.-C. and Lin, C.-Y.
Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of *Penaeus chinensis* exposed to ambient ammonia at different salinity and pH levels 136 (1995) 243
Chen, L.X., *see* Lin, H.R. et al.
Chen, N., *see* Lan, W.G. et al.
Chen, S., Wu, J. and Malone, R.F.
Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish *(Procambarus clarkii)* 131 (1995) 205
Chen, S.-N., *see* Lo, C.-F. et al.
Chen, T.T., *see* Chatakondi, N. et al.
Chen, Y.-C., *see* Hsu, Y.-L. et al.
Cherfas, N.B., *see* Gomelsky, B.I. et al.
Cherfas, N.B., Huiata, G., Gomelsky, B.I., Ben-Dom, N. and Peretz, Y.
Chromosome set manipulations in the common carp, *Cyprinus carpio* L. 129 (1995) 217
Cherfas, N.B., Emelyanova, O.V., Recoubratsky, A.V. and Gomelsky, B.I.
Cytogenetic and fishery properties of hybrids between the crucian carp and the common carp: an application of genetic methods in treatment of distant hybrids 129 (1995) 218
Chi, S.-C., *see* Lo, C.-F. et al.
Chiba, H., *see* Ijiri, S. et al.
Chini Zittelli, G., *see* Montaini, E. et al.
Choshniak, I., *see* Tandler, A. et al.
Chou, C.-M., *see* Kou, G.-H. et al.
Chou, C.-M., *see* Lo, C.-F. et al.
Choubert, G., *see* Thompson, I. et al.
Chuang, J.-C., *see* Shiau, S.-Y. et al.
Clark, D.S., Brown, J.A., Goddard, S.J. and Moir, J.
Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens 131 (1995) 49
Clayton, P., *see* Barlow, C.G. et al.
Cochennec, N., *see* Hervio, D. et al.
Coimbra, J., *see* Dos Santos, A.M.T. et al.

Collins, R.O., *see* Bruno, D.W. et al.
Coloso, R.M., *see* Catacutan, M.R. et al.
Comas, M.A., *see* Cerdà, J. et al.
Cook, D., *see* Herbinger, C.M. et al.
Cook, D., *see* McConnell, S. et al.
Cooper, E.L.
Immunology: a look toward the sea and what we have learned from tunicates 132 (1995) 1
Cosson, J., *see* Billard, R. et al.
Cosson, J., *see* Perchec, G. et al.
Cosson, J., *see* Suquet, M. et al.
Courtney, H.P., *see* Wilkins, N.P. et al.
Coyne, R., *see* Hiney, M.P. et al.
Coyne, R., *see* Kapetanaki, M. et al.
Coyne, R., *see* Kerry, J. et al.
Craig Clarke, W., *see* Appelbaum, S. et al.
Crandell, P.A., Matsuoka, M.P. and Smoker, W.W.
Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*) 137 (1995) 109
Cravedi, J.P., *see* Kaushik, S.J. et al.
Crim, L.W., *see* Yao, Z. et al.
Cripps, S.J.
Serial particle size fractionation and characterisation of an aquacultural effluent 133 (1995) 323
Cross, T., *see* Galvin, P. et al.
Cruz, P., *see* Ibarra, A.M. et al.
Csengeri, I., *see* Petitjean, M. et al.
Csengeri, I., Petitjean, M. and Bercsenyi, M.
Freeze-fractured liver as a starter diet for cyprinid larvae 129 (1995) 252
Csizmadia, Cs., Jeney, Zs., Szerencsés, I. and Gorda, S.
Transferrin polymorphism of some races in a live gene bank of common carp 129 (1995) 193
Cuif, J.-P., *see* Dauphin, Y. et al.
Culver, D.A., *see* Qin, J. et al.
Culverhouse, P.F., *see* Newbury, P.F. et al.
Cummins, K., *see* Chatakondi, N. et al.
Curatolo, A., *see* Wilkins, N.P. et al.
Curry Woods, L., Ely, B., Leclerc, G. and Harrell, R.M.
Evidence for genetic purity of captive and domestic striped bass broodstocks 137 (1995) 41
Cusack, R., *see* Ojolick, E.J. et al.
C Whyte, J.N., *see* Appelbaum, S. et al.
D'Abramo, L.R., *see* Tidwell, J.H. et al.
Dalsgaard, A. and Olsen, J.E.
Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand 136 (1995) 291
Dana, D., *see* Buchmann, K. et al.
Daniels, W.H., *see* Tidwell, J.H. et al.
Danzmann, R.G. and Ferguson, M.M.
Heterogeneity in the body size of Ontario cultured rainbow trout with different mitochondrial DNA haplotypes 137 (1995) 231
Dauphin, Y. and Cuif, J.-P.
Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia 133 (1995) 113
Davis, D.A. and Arnold, C.R.
Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei* 133 (1995) 287
Davis, K.B., *see* Goudie, C.A. et al.

Davis, K.B., *see* Goudie, C.A. et al.
Dawson, V.K., *see* Gingerich, W.H. et al.
Deady, S., Varian, S.J.A. and Fives, J.M.
The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages 131 (1995) 73
Dedi, J., Takeuchi, T., Seikai, T. and Watanabe, T.
Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii 133 (1995) 135
Dehasque, M., *see* Merchie, G. et al.
De Jesus, E.G., *see* Tanaka, M. et al.
Delaney, L.J., *see* Gingerich, W.H. et al.
De Leenheer, A., *see* Merchie, G. et al.
Dell'Agnello, M., *see* Geri, G. et al.
Dell'Agnello, M., *see* Geri, G. et al.
Del Valle, G. and Taniguchi, N.
Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions 137 (1995) 193
Dementiev, V.N., *see* Katassonov, V.Ja. et al.
Deslous-Paoli, J.M., *see* Bougrier, S. et al.
Desprez, D., Mélard, C. and Philippart, J.C.
Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny 130 (1995) 35
Devaraj, K.V., *see* Basavaraju, Y. et al.
Devaraj, K.V., *see* Seenappa, D. et al.
Devesa, S., *see* Toranzo, A.E. et al.
Devlin, R.H., Yesaki, T.Y., Donaldson, E.M. and Hew, C.-L.
Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*) 137 (1995) 161
Dhert, Ph., *see* Merchie, G. et al.
Diab, S., *see* Avnimelech, Y. et al.
Diaz, M.A., *see* Martínez, G. et al.
Dölz, H., *see* Sievers, G. et al.
Donaldson, E., *see* Teskeredžić, E. et al.
Donaldson, E.M., *see* Blázquez, M. et al.
Donaldson, E.M., *see* Devlin, R.H. et al.
Donaldson, E.M., *see* Withler, R.E. et al.
Donlon, J., *see* Mai, K. et al.
Donlon, J., *see* Mai, K. et al.
Donlon, J., *see* Mgaya, Y.D. et al.
Doroshov, S., *see* Moberg, G.P. et al.
Doroshov, S.I., *see* Bailey, H.C. et al.
Doroshov, S.I., *see* Logan, S.H. et al.
Dosanjh, B.S., *see* Teskeredžić, Z. et al.
Dos Santos, A.M.T. and Coimbra, J.
Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation 132 (1995) 195
Doyle, R.W., *see* Brzeski, V.J. et al.
Doyle, R.W., *see* Herbinger, C.M. et al.
Duerr, E.O., *see* Ostrowski-Meissner, H.T. et al.
Duncan, P.L., *see* Chatakondi, N. et al.
Dunham, R.A., *see* Chatakondi, N. et al.
Durfort, M., *see* Sagristà, E. et al.
Duston, J. and Saunders, R.L.

Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water 135 (1995) 275
Eding, E.H., *see* Bongers, A.B.J. et al.
Einarsdottir, I.E., *see* Olsen, Y.A. et al.
Eiras, J.C., *see* Santos, M.J. et al.
Eklund, M.W., *see* Hardy, R.W. et al.
Elema, M.O., Hoff, K.A. and Kristensen, H.G.
Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.) 136 (1995) 209
Elliott, D.G., Pascho, R.J. and Palmisano, A.N.
Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater 132 (1995) 133
Ellis, E.P., *see* Watanabe, W.O. et al.
Ellis, E.P., *see* Watanabe, W.O. et al.
Ellis, S.C., *see* Watanabe, W.O. et al.
Ellis, S.C., *see* Watanabe, W.O. et al.
Ely, B., *see* Curry Woods, L. et al.
Emelyanova, O.V., *see* Cherfas, N.B. et al.
Emri, M., *see* Krasznai, Z. et al.
Engelking, M.H., *see* Hsu, Y.-L. et al.
Epler, P., *see* Bieniarz, K. et al.
Erfanullah, . and Jafri, A.K.
Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita* 136 (1995) 331
Eriksen, J.R., *see* Roos, N. et al.
Ervik, A., *see* Lunestad, B.T. et al.
Escaffre, A.-M. and Kaushik, S.J.
Survival and growth of first-feeding common carp larvae fed artificial diets containing soybean protein concentrate 129 (1995) 253
Esquivel-Herrera, A., *see* Rodríguez-Gutiérrez, M. et al.
Esteky, A.A., Oláh, J., Balouchi, A.N. and Pekár, F.
The effect of high stocking density of fish and duck on pond community structure 129 (1995) 391
Esteky, A.A., Oláh, J., Pekár, F., Nezami-Balouchi, S.A. and Szabó, P.
Fish stressor environment in high-stocked fish-cum-duck ponds 129 (1995) 393
Esteve, C., Amaro, C., Biosca, E.G. and Garay, E.
Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm 132 (1995) 81
Evans, L.H., *see* Sudaryono, A. et al.
Eves, A., Turner, C., Yakupitiyage, A., Tongdee, N. and Ponza, S.
The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*) 132 (1995) 261
Ezzi, I., *see* Kiemer, M.C.B. et al.
Faina, R., *see* Svobodová, Z. et al.
Faisal, M., Rutan, B.J. and Sami-Demmerle, S.
Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae) 132 (1995) 59
Faris, A., *see* Balebona, M.C. et al.
Fauconneau, B., *see* Kaushik, S.J. et al.
Fauconneau, B., Alami-Durante, H., Laroche, M., Marcel, J. and Vallot, D.
Growth and meat quality relations in carp 129 (1995) 265
Fauvel, C., *see* Suquet, M. et al.
Feist, G., *see* Schreck, C.B. et al.
Feist, G., Yeoh, C.-G., Fitzpatrick, M.S. and Schreck, C.B.
The production of functional sex-reversed male rainbow trout with 17α-methyltestosterone and 11β-hydroxyandrostenedione 131 (1995) 145

Ferguson, A., *see* Prodöhl, P.A. et al.
Ferguson, M.M., *see* Danzmann, R.G. et al.
Fernández-Díaz, C. and Yúfera, M.
Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules 134 (1995) 269
Fernández-Díaz, C., *see* Yúfera, M. et al.
Fernández-Palacios, H., *see* Robaina, L. et al.
Fernández-Palacios, H., Izquierdo, M.S., Robaina, L., Valencia, A., Salhi, M. and Vergara, J.M.
Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.) 132 (1995) 325
Fernández Sevilla, J.M., *see* Montaini, E. et al.
Fernö, A., Huse, I., Juell, J.-E. and Bjordal, Å.
Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction 132 (1995) 285
Fielder, D.R., *see* Loya-Javellana, G.N. et al.
Figueras, A., *see* Cáceres-Martínez, J. et al.
Figueras, A., *see* Novoa, B. et al.
Figueras, A., *see* Novoa, B. et al.
Figueras, A., *see* Robledo, J.A.F. et al.
Filho, S.d.A.T., *see* Foresti de Almeida-Toledo, L. et al.
Fitzpatrick, M.S., *see* Feist, G. et al.
Fitzpatrick, M.S., *see* Slater, C.H. et al.
Fives, J.M., *see* Deady, S. et al.
Fjelde, S., *see* Lunestad, B.T. et al.
Flajšhans, M., *see* Linhart, O. et al.
Flajšhans, M., *see* Linhart, O. et al.
Fleeger, J.W., *see* Sun, B. et al.
Fleming, A.E.
Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra* 132 (1995) 297
Fleming, A.E.
Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference 134 (1995) 279
Focken, U., *see* Becker, K. et al.
Fonarev, N., *see* Rijn, J.v. et al.
Foresti de Almeida-Toledo, L., Bigoni, A.P.V., Bernardino, G. and Filho, S.d.A.T.
Chromosomal location of Nors and C bands in F_1 hybrids of bighead carp and silver carp reared in Brazil 135 (1995) 277
Forsberg, O.I.
Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence 133 (1995) 235
Fox, J.M., Lawrence, A.L. and Li-Chan, E.
Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources 131 (1995) 279
Frazer, A.W.J., *see* Heasman, M.P. et al.
Freites, L., *see* Vélez, A. et al.
Friars, G.W., *see* McGeachy, S.A. et al.
Friars, G.W., Bailey, J.K. and O'Flynn, F.M.
Applications of selection for multiple traits in cage-reared Atlantic salmon (*Salmo salar*) . 137 (1995) 213
Frusher, S., *see* Benzie, J.A.H. et al.
Frusher, S.D., *see* Benzie, J.A.H. et al.
Fuentes, J., *see* Molares, J. et al.
Fukumoto, S., *see* Bombeo-Tuburan, I. et al.
Fuller, M.J., *see* Tidwell, J.H. et al.

Furukawa, K., *see* Sato, N. et al.
Furusawa, I., *see* Arimoto, M. et al.
Fuseya, M., *see* Mizukami, Y. et al.
Galbreath, P.F. and Thorgaard, G.H.
Sexual maturation and fertility of diploid and triploid Atlantic salmon × brown trout hybrids 137 (1995) 299
Galbreath, P.F. and Thorgaard, G.H.
Saltwater performance of all-female triploid Atlantic salmon 138 (1995) 77
Galgani, F., *see* Bris, H.L. et al.
Gallardo, P.P., Alfonso, E., Gaxiola, G., Soto, L.A. and Rosas, C.
Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii 131 (1995) 239
Gállego, L., *see* Cerdà, J. et al.
Galvin, P., McGregor, D. and Cross, T.
A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species 137 (1995) 31
Garádi, P., *see* Boll, M.G. et al.
Garay, E., *see* Esteve, C. et al.
Garcia, D.K. and Benzie, J.A.H.
RAPD markers of potential use in penaeid prawn *(Penaeus monodon)* breeding programs . 130 (1995) 137
García-Alcázar, A., *see* López-Albors, O. et al.
García-Vazquez, E., Moran, P., Linde, A.R., Pendas, A.M. and Izquierdo, J.I.
Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing 132 (1995) 233
Gáspár Jr., R., *see* Krasznai, Z. et al.
Gauglitz, Jr., E.J., *see* Hardy, R.W. et al.
Gaxiola, G., *see* Gallardo, P.P. et al.
Geairon, P., *see* Bougrier, S. et al.
Gendreau, S., Lardans, V., Cadoret, J.P. and Mialhe, E.
Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos 133 (1995) 199
George, T. and Pandian, T.J.
Production of ZZ females in the female-heterogametic black molly, *Poecilia sphenops*, by endocrine sex reversal and progeny testing 136 (1995) 81
Geri, G., Lupi, P., Parisi, G., Dell'Agnello, M., Martini, A. and Ponzetta, M.P.
Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight 129 (1995) 323
Geri, G., Poli, B.M., Gualtieri, M., Lupi, P. and Parisi, G.
Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment 129 (1995) 329
Geri, G., Poli, B.M., Gualtieri, M., Dell'Agnello, M. and Mecatti, M.
Body traits and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by age 129 (1995) 335
Germain-Henry, M., *see* Næss, T. et al.
Geurden, I., Radünz-Neto, J. and Bergot, P.
Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae 131 (1995) 303
Gibson, O., *see* Lubzens, E. et al.
Gifford, J.M., *see* Park, E.D. et al.
Gil, F., *see* López-Albors, O. et al.
Gildberg, A., Johansen, A. and Bøgwald, J.
Growth and survival of Atlantic salmon (*Salmo salar*) fry given diets supplemented with fish protein hydrolysate and lactic acid bacteria during a challenge trial with *Aeromonas salmonicida* 138 (1995) 23
Gilles, S., *see* Agnèse, J.-F. et al.

Gilroy, D., *see* Kerry, J. et al.
Gingerich, W.H., Meinertz, J.R., Dawson, V.K., Gofus, J.E., Delaney, L.J. and Bunnell, P.R.
Distribution and elimination of [^{14}C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*) 131 (1995) 23
Goddard, S.J., *see* Clark, D.S. et al.
Godin, D.M., *see* Wyban, J. et al.
Gofus, J.E., *see* Gingerich, W.H. et al.
Gomelsky, B.I., *see* Cherfas, N.B. et al.
Gomelsky, B.I., *see* Cherfas, N.B. et al.
Gomelsky, B.I., *see* Grunina, A.S. et al.
Gomelsky, B.I., Cherfas, N.B., Hulata, G., Peretz, Y. and Ben-Dom, N.
Hormonal sex inversion in the common carp, *Cyprinus carpio* L. 129 (1995) 218
Gomes, E.F., Rema, P. and Kaushik, S.J.
Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance 130 (1995) 177
González, P., *see* Robledo, J.A.F. et al.
González, S., *see* Mourente, G. et al.
Goodall, E.A., *see* Wheatley, S.B. et al.
Gorda, S., *see* Bakos, J. et al.
Gorda, S., *see* Csizmadia, Cs. et al.
Gorda, S., *see* Jeney, Zs. et al.
Gorda, S., Bakos, J., Liska, J. and Kakuk, Cs.
Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas 129 (1995) 199
Gordon, M.E., *see* Pickering, T.D. et al.
Gordon Grau, E., *see* Ron, B. et al.
Górny, W., *see* Wolnicki, J. et al.
Górny, W., *see* Wolnicki, J. et al.
Górny, W., *see* Wolnicki, J. et al.
Gosling, E., *see* Wilkins, N.P. et al.
Gosling, E.M., *see* Mgaya, Y.D. et al.
Goswami, U.C., *see* Hatlen, B. et al.
Goudie, C.A., Simco, B.A., Davis, K.B. and Liu, Q.
Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation 133 (1995) 185
Goudie, C.A., Liu, Q., Simco, B.A. and Davis, K.B.
Genetic relationship of growth, sex and glucosephosphate isomerase-B phenotypes in channel catfish (*Ictalurus punctatus*) 138 (1995) 119
Grayson, T.H., *see* Roper, J. et al.
Groll, Y., *see* Moav, B. et al.
Grunina, A.S., Neyfakh, A.A. and Gomelsky, B.I.
Investigations on diploid androgenesis in fish 129 (1995) 219
Gu, H., Mather, P.B. and Capra, M.F.
Juvenile growth performance among stocks and families of red claw crayfish, *Cherax quadricarinatus* (von Martens) 134 (1995) 29
Gualtieri, M., *see* Geri, G. et al.
Gualtieri, M., *see* Geri, G. et al.
Guillaume, J., *see* Arzel, J. et al.
Guillaume, J., *see* Stéphan, G. et al.
Guillou, A., Khalil, M. and Adambounou, L.
Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste 130 (1995) 351
Guillou, A., Soucy, P., Khalil, M. and Adambounou, L.
Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*) 136 (1995) 351

Gunasekera, R.M., Shim, K.F. and Lam, T.J.
Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.). 134 (1995) 169
Hacmanjek, M., *see* Teskeredžić, E. et al.
Hallerman, E.M., *see* Bartley, D.M. et al.
Hallerman, E.M. and Kapuscinski, A.R.
Incorporating risk assessment and risk management into public policies on genetically modified finfish and shellfish 137 (1995) 9
Hamackova, J., *see* Barth, T. et al.
Hamáčková, J., *see* Linhart, O. et al.
Hamilton, L., *see* McConnell, S. et al.
Hand, R.E., *see* Nell, J.A. et al.
Hardy, R.W., *see* Massee, K.C. et al.
Hardy, R.W., *see* Teskeredžić, Z. et al.
Hardy, R.W., Scott, T.M., Hatfield, C.L., Barnett, H.J., Gauglitz, Jr., E.J., Wekell, J.C. and Eklund, M.W.
Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds 131 (1995) 253
Harrell, R.M., *see* Curry Woods, L. et al.
Harrell, R.M. and Woods III, L.C.
Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*) 133 (1995) 225
Harris, J.E., *see* Roper, J. et al.
Hart, P.R. and Purser, G.J.
Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862) 136 (1995) 221
Hatfield, C.L., *see* Hardy, R.W. et al.
Hatlen, B., Aas, G.H., Jørgensen, E.H., Storebakken, T. and Goswami, U.C.
Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations 138 (1995) 303
Hauzerova, L., *see* Barth, T. et al.
Hayashida, G., *see* Riquelme, C. et al.
Hayat, M., *see* Chatakondi, N. et al.
Head, W.D., *see* Watanabe, W.O. et al.
Heasman, M.P., *see* O'Connor, W.A. et al.
Heasman, M.P., O'Connor, W.A. and Frazer, A.W.J.
Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve 131 (1995) 231
Hedgecock, D., McGoldrick, D.J. and Bayne, B.L.
Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines 137 (1995) 285
Hefferman, P.B., *see* O'Beirn, F.X. et al.
Hektoen, H., Berge, J.A., Hormazabal, V. and Yndestad, M.
Persistence of antibacterial agents in marine sediments 133 (1995) 175
Herbinger, C.M., Doyle, R.W., Pitman, E.R., Paquet, D., Mesa, K.A., Morris, D.B., Wright, J.M. and Cook, D.
DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout 137 (1995) 245
Hervio, D., Bachère, E., Boulo, V., Cochennec, N., Vuillemin, V., Le Coguic, Y., Cailletaux, G., Mazurié, J. and Mialhe, E.
Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters 132 (1995) 183
Hew, C.-L., *see* Devlin, R.H. et al.
Hidas, A., *see* Váradi, L. et al.
Hietala, J., Valtonen, E.T. and Aaltonen, T.
Experimental infection of brown trout, *Salmo trutta* L., using a Finnish *Yersinia ruckeri* isolate 136 (1995) 11

Higgs, D.A., *see* Teskeredžić, Z. et al.
Hill Jr., S.J., *see* Tidwell, J.H. et al.
Hilton, B., *see* Thorgaard, G.H. et al.
Himmelman, J.H., *see* Vélez, A. et al.
Hiney, M., *see* Kapetanaki, M. et al.
Hiney, M., *see* Kerry, J. et al.
Hiney, M.P., Coyne, R., Kerry, J., Pursell, L., Samuelsen, O.B. and Smith, P.
Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis 136 (1995) 31
Hinits, Y., *see* Moav, B. et al.
Hinton, D.E., *see* Marty, G.D. et al.
Hiott, A.E., *see* Shelton, W.L. et al.
Hirano, T., *see* Tanaka, M. et al.
Hirano, T., *see* Varnavsky, V.S. et al.
Hoff, K.A., *see* Elema, M.O. et al.
Hollis, M., *see* Rowland, S.J. et al.
Holm, J.C., *see* Karlsen, Ø. et al.
Hone, J.V., *see* Roper, J. et al.
Hormazabal, V., *see* Hektoen, H. et al.
Hörstgen-Schwark, G., *see* Brämick, U. et al.
Hörstgen-Schwark, G., *see* Müller-Belecke, A. et al.
Horváth, L., *see* Váradi, L. et al.
Horváth, L. and Orbán, L.
Genome and gene manipulation in the common carp 129 (1995) 157
Houlihan, D.F., *see* Thompson, I. et al.
Howerton, R.D., *see* Webster, C.D. et al.
Hoxey, M.J., *see* Sudaryono, A. et al.
Hsu, C., *see* Kuo, C. et al.
Hsu, T.-S., *see* Shiau, S.-Y. et al.
Hsu, Y.-L., Yang, Y.-H., Chen, Y.-C., Tung, M.-C., Wu, J.-L., Engelking, M.H. and Leong, J.C.
Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon* 136 (1995) 43
Huberman, A., Aguilar, M.B. and Scott Quackenbush, L.
A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann) 135 (1995) 149
Hulata, G., *see* Cherfas, N.B. et al.
Hulata, G., *see* Gomelsky, B.I. et al.
Hulata, G., *see* Karplus, I. et al.
Hulata, G.
A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection 129 (1995) 143
Humayun, N.M., *see* Hussain, M.G. et al.
Hung, H.-W., *see* Kou, G.-H. et al.
Huntingford, F.A., *see* Smith, I.P. et al.
Huse, I., *see* Fernö, A. et al.
Hussain, M.G., *see* Rahman, M.A. et al.
Hussain, M.G., Rao, G.P.S., Humayun, N.M., Randall, C.F., Penman, D.J., Kime, D., Bromage, N.R., Myers, J.M. and McAndrew, B.J.
Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L. 138 (1995) 87
Ibarra, A.M., Cruz, P. and Romero, B.A.
Effects of inbreeding on growth and survival of self-fertilized catarina scallop larvae, *Argopecten circularis* *134 (1995) 37*
Ichimura, Y., *see* Wada, K.T. et al.

Ijiri, S., Kazeto, Y., Takeda, N., Chiba, H., Adachi, S. and Yamauchi, K.
Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica* 135 (1995) 3
Ikeda, Y., *see* Kurata, O. et al.
Ikeno, M., *see* Arai, K. et al.
Inostroza, R., *see* Sievers, G. et al.
Inui, Y., Yamano, K. and Miwa, S.
The role of thyroid hormone in tissue development in metamorphosing flounder 135 (1995) 87
Irnazarow, I.
Genetic variability of Polish and Hungarian carp lines 129 (1995) 215
Isaka, M., *see* Tanaka, M. et al.
Ishida, T., *see* Mizukami, Y. et al.
Ishimoto, S., *see* Mizukami, Y. et al.
Islam, M.S., *see* Rahman, M.A. et al.
Iwama, G.K., *see* Appelbaum, S. et al.
Iwama, G.K., *see* Ron, B. et al.
Iwata, M.
Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review 135 (1995) 131
Izquierdo, J.I., *see* Garcia-Vazquez, E. et al.
Izquierdo, M.S., *see* Fernández-Palacios, H. et al.
Izquierdo, M.S., *see* Robaina, L. et al.
Jafri, A.K., *see* Erfanullah, . et al.
Jakobsen, H.J., *see* Sigholt, T. et al.
Jang, Y.-S., *see* Kou, G.-H. et al.
Jarayabhand, P. and Thavornyutikarn, M.
Realized heritability estimation on growth rate of oyster, *Saccostrea cucullata* Born, 1778. 138 (1995) 111
Jayakumar, R., *see* Ramasamy, P. et al.
Jeney, G., *see* Jeney, Zs. et al.
Jeney, G., *see* Jeney, Zs. et al.
Jeney, Zs., *see* Csizmadia, Cs. et al.
Jeney, Zs., Papp, Zs., Jeney, G. and Gorda, S.
Stress sensitivity of four genetically different strains of common carp (*Cyprinus carpio* L.) 129 (1995) 203
Jeney, Zs. and Jeney, G.
Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.) 129 (1995) 397
Jenkins, P.G., *see* Roper, J. et al.
Jensen, J.O.T., *see* Appelbaum, S. et al.
Jezierska, B., *see* Witeska, M. et al.
Jezierska, B. and Bartnicka, B.
The effect of pH on embryonic development of carp (*Cyprinus carpio* L.) 129 (1995) 134
Johansen, A., *see* Gildberg, A. et al.
Johansen, L.-H. and Sommer, A.-I.
In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.) 132 (1995) 91
Johnson, M.R., *see* Wolters, W.R. et al.
Johnston, W.E., *see* Logan, S.H. et al.
Jones, C.M.
Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures 138 (1995) 221
Jones, C.M.
Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) II. Juvenile nutrition and habitat 138 (1995) 239

Jones, C.M.
Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) III. Managed pond production trials 138 (1995) 247
Jones, D.A., *see* Kumlu, M. et al.
Jones, J.D., *see* Teskeredžić, Z. et al.
Jonquières, G., *see* Bougrier, S. et al.
Jonsson, L., *see* Schreck, C.B. et al.
Jordan, C., *see* Wilkins, N.P. et al.
Jørgensen, E.H., *see* Hatlen, B. et al.
Juell, J.-E., *see* Fernö, A. et al.
Kailis, S.G., *see* Sudaryono, A. et al.
Kakuk, Cs., *see* Gorda, S. et al.
Kamaishi, T., *see* Saitoh, K. et al.
Kapetanaki, M., Kerry, J., Hiney, M., O'Brien, C., Coyne, R. and Smith, P.
Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony formation on oxytetracycline-containing media 134 (1995) 227
Kapuscinski, A.R., *see* Hallerman, E.M. et al.
Karlsen, Ø., Holm, J.C. and Kjesbu, O.S.
Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.) 133 (1995) 159
Karnasuta, J., *see* Pongthana, N. et al.
Karplus, I. and Hulata, G.
Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk ablation on jumpers and laggards 138 (1995) 181
Kasal, A., *see* Linhart, O. et al.
Kastritsis, C., *see* Touraki, M. et al.
Katassonov, V.Ja. and Dementiev, V.N.
A scheme for selection of common carp males for offspring 129 (1995) 216
Kaushik, S.J., *see* Escaffre, A.-M. et al.
Kaushik, S.J., *see* Gomes, E.F. et al.
Kaushik, S.J.
Nutrient requirements, supply and utilization in the context of carp culture 129 (1995) 225
Kaushik, S.J., Cravedi, J.P., Lalles, J.P., Sumpter, J., Fauconneau, B. and Laroche, M.
Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss* 133 (1995) 257
Kawauchi, H., *see* Cavari, B. et al.
Kawazoe, I., *see* Sato, N. et al.
Kazeto, Y., *see* Ijiri, S. et al.
Kehoe, E., *see* Barker, G.A. et al.
Kelley, C.D., *see* Watanabe, W.O. et al.
Kelly, S.P., *see* Woo, N.Y.S. et al.
Kemppainen, B.W., *see* Lumlertdacha, S. et al.
Kenway, M., *see* Benzie, J.A.H. et al.
Kenway, M., *see* Benzie, J.A.H. et al.
Kerleguer, C., *see* Arzel, J. et al.
Kerr, S.R., *see* Ojolick, E.J. et al.
Kerry, J., *see* Hiney, M.P. et al.
Kerry, J., *see* Kapetanaki, M. et al.
Kerry, J., Hiney, M., Coyne, R., NicGabhainn, S., Gilroy, D., Cazabon, D. and Smith, P.
Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms 131 (1995) 101
Kestemont, P.
Different systems of carp production and their impacts on the environment 129 (1995) 347

Kestemont, P.
Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae 136 (1995) 341
Khalil, M., *see* Guillou, A. et al.
Khalil, M., *see* Guillou, A. et al.
Kiemer, M.C.B., Black, K.D., Lussot, D., Bullock, A.M. and Ezzi, I.
The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.) 135 (1995) 311
Kim, B.G., *see* Brown, C.L. et al.
Kim, D.S., Nam, Y.K. and Park, I.-S.
Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*) 135 (1995) 257
Kim, M.K. and Lovell, R.T.
Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictarulus punctatus* 134 (1995) 237
Kim, M.K. and Lovell, R.T.
Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds 135 (1995) 285
Kime, D., *see* Hussain, M.G. et al.
Kimura, R., *see* Tanaka, M. et al.
Kirchgessner, M., *see* Schwarz, F.J. et al.
Kito, H., *see* Mizukami, Y. et al.
Kjesbu, O.S., *see* Karlsen, Ø. et al.
Knight, W.L., *see* Tidwell, J.H. et al.
Knösche, R. and Schreckenbach, K.
The influence of carbohydrates in the feed on some physiological parameters of cultured fish—carp, trout and sturgeon hybrids 129 (1995) 254
Knösche, R.
Equipment: Chairman's Summary 129 (1995) 467
Kobayashi, M., *see* Sakai, M. et al.
Kobayashi, T., *see* Saitoh, K. et al.
Kochba, M., *see* Avnimelech, Y. et al.
Kochetov, A.A., *see* Tsvetkova, L.I. et al.
Komaru, A., *see* Wada, K.T. et al.
Komen, J., *see* Bongers, A.B.J. et al.
Kou, G.-H., *see* Lo, C.-F. et al.
Kou, G.-H., Wang, C.-H., Hung, H.-W., Jang, Y.-S., Chou, C.-M. and Lo, C.-F.
A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum* 132 (1995) 161
Kouril, J., *see* Barth, T. et al.
Krasznai, Z., Márián, T., Balkay, L., Gáspár Jr., R. and Trón, L.
Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm 129 (1995) 123
Krasznai, Z., Márián, T., Balkay, I., Emri, M. and Trón, L.
Permeabilization and structural changes in the membrane of common carp (*Cyprinus carpio* L.) sperm induced by hypo-osmotic shock 129 (1995) 135
Kristensen, H.G., *see* Elema, M.O. et al.
Krovacek, K., *see* Balebona, M.C. et al.
Kudo, S., *see* Linhart, O. et al.
Kumlu, M. and Jones, D.A.
Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India 130 (1995) 287
Kuo, C., Hsu, C. and Lin, C.
Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon* 135 (1995) 161

Kurata, O., Okamoto, N., Suzumura, E., Sano, N. and Ikeda, Y.
Accommodation of carp natural killer-like cells to environmental temperatures 129 (1995) 421
Kurosaki, H., *see* Wada, K.T. et al.
Kvasnička, P., *see* Linhart, O. et al.
Kvasnička, P., *see* Linhart, O. et al.
Kvasnička, P., *see* Linhart, O. et al.
Labarta, U., *see* Camacho, A.P. et al.
Labrenty Montañez, J., *see* Tidwell, J.H. et al.
Laing, I.
Effect of food supply on oyster spatfall 131 (1995) 315
Lall, S.P., *see* Anderson, J.S. et al.
Lalles, J.P., *see* Kaushik, S.J. et al.
Lam, T.J., *see* Angka, S.L. et al.
Lam, T.J., *see* Gunasekera, R.M. et al.
Lam, T.J., *see* Sampath-Kumar, R. et al.
Lamas, J., *see* Noya, M. et al.
Lamas, J., *see* Toranzo, A.E. et al.
Lamour, F., *see* Stéphan, G. et al.
Lan, W.G., Wong, M.K., Chen, N. and Sin, Y.M.
Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major* 131 (1995) 219
Landolt, M.L., *see* Pascho, R.J. et al.
Langholz, H.-J., *see* Brämick, U. et al.
Lapp, A.F., *see* Barry, T.P. et al.
Lardans, V., *see* Gendreau, S. et al.
Laroche, M., *see* Fauconneau, B. et al.
Laroche, M., *see* Kaushik, S.J. et al.
Latchford, J.W., *see* Prayitno, S.B. et al.
Latorre, R., *see* López-Albors, O. et al.
Lavens, P., *see* Merchie, G. et al.
Lawrence, A.L., *see* Fox, J.M. et al.
LeaMaster, B.R., *see* Ostrowski-Meissner, H.T. et al.
Leclerc, G., *see* Curry Woods, L. et al.
Le Coguic, Y., *see* Hervio, D. et al.
Le Delliou, H., *see* Arzel, J. et al.
Lee, C.-S., *see* Watanabe, W.O. et al.
Lee, C.-S., *see* Watanabe, W.O. et al.
Leiro, J., *see* Toranzo, A.E. et al.
Lenz, S.D., *see* Lumlertdacha, S. et al.
Leong, J.C., *see* Hsu, Y.-L. et al.
Li-Chan, E., *see* Fox, J.M. et al.
Lightner, D.V., *see* Park, E.D. et al.
Lin, C., *see* Kuo, C. et al.
Lin, C.-Y., *see* Chen, J.-C. et al.
Lin, H.R., Zhang, Q. and Peter, R.E.
Effects of recombinant tuna growth hormone (GH) and analogs of gonadotropin-releasing hormone (GnRH) on growth of grass carp (*Ctenopharyngodon idellus*) 129 (1995) 342
Lin, H.R., Lu, M., Lin, X.W., Zhang, W.M., Sun, Y. and Chen, L.X.
Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*) 135 (1995) 173
Lin, X.W., *see* Lin, H.R. et al.
Linde, A.R., *see* Garcia-Vazquez, E. et al.
Linhart, O., *see* Billard, R. et al.

Linhart, O., Kudo, S., Billard, R., Slechta, V. and Mikodina, E.V.
Morphology, composition and fertilization of carp eggs: a review 129 (1995) 75
Linhart, O., Peter, R.E., Rothbard, S., Zohar, Y. and Kvasnička, P.
Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract 129 (1995) 119
Linhart, O., Flajšhans, M. and Kvasnička, P.
Gynogenesis of tench (*Tinca tinca* L.) after short-term storage of eggs 129 (1995) 136
Linhart, O., Kvasnička, P., Flajšhans, M., Kasal, A., Ráb, P., Paleček, J., Šlechta, V., Hamáčková, J. and Prokeš, M.
Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal .. 132 (1995) 239
Linnane, A., *see* Wilkins, N.P. et al.
Liska, J., *see* Gorda, S. et al.
Lithgow, C.D., *see* Beal, B.F. et al.
Liu, C.T., *see* Yu, J.Y.L. et al.
Liu, F.G., *see* Yu, J.Y.L. et al.
Liu, Q., *see* Goudie, C.A. et al.
Liu, Q., *see* Goudie, C.A. et al.
Lo, C.-F., *see* Kou, G.-H. et al.
Lo, C.-F., Chi, S.-C., Tien, N.-Y., Yu, P.-J., Chou, C.-M., Chen, S.-N., Wang, C.-H. and Kou, G.-H.
The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging 132 (1995) 73
Logan, S.H., Johnston, W.E. and Doroshov, S.I.
Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar 130 (1995) 299
López-Albors, O., Gil, F., Ramírez-Zarzosa, G., Latorre, R., García-Alcázar, A., Abellán, E., Blanco, A., Vázquez, J.M. and Moreno, F.
Early muscle injuries in a standard reared stock of sea bass *Dicentrarchus labrax*, (L.) 138 (1995) 69
Lou, D.C., *see* Southgate, P.C. et al.
Lovell, R.T., *see* Chatakondi, N. et al.
Lovell, R.T., *see* Kim, M.K. et al.
Lovell, R.T., *see* Kim, M.K. et al.
Lovell, R.T., *see* Lumlertdacha, S. et al.
Lovell, R.T., *see* Paripatananont, T. et al.
Loya-Javellana, G.N., Fielder, D.R. and Thorne, M.J.
Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus* 134 (1995) 295
Lu, M., *see* Lin, H.R. et al.
Lubiín, L.M., *see* Pedro Cañavate, J. et al.
Lubzens, E., Gibson, O., Zmora, O. and Sukenik, A.
Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture 133 (1995) 295
Lumlertdacha, S., Lovell, R.T., Shelby, R.A., Lenz, S.D. and Kemppainen, B.W.
Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme* 130 (1995) 201
Lunestad, B.T., Samuelsen, O.B., Fjelde, S. and Ervik, A.
Photostability of eight antibacterial agents in seawater 134 (1995) 217
Lupi, P., *see* Geri, G. et al.
Lupi, P., *see* Geri, G. et al.
Luque, A., *see* Castro, D. et al.
Lussot, D., *see* Kiemer, M.C.B. et al.
Machova, J., *see* Svobodova, Z. et al.
Máchová, J., *see* Svobodová, Z. et al.
Madon, S.P., *see* Qin, J. et al.
Maes, P., *see* Castro, D. et al.

Maffart, P., *see* Bris, H.L. et al.
Magariños, B., *see* Noya, M. et al.
Maguire, G.B., *see* Allan, G.L. et al.
Maguire, G.B., *see* Allan, G.L. et al.
Mai, K., Mercer, J.P. and Donlon, J.
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid .. 134 (1995) 65
Mai, K., Mercer, J.P. and Donlon, J.
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth 136 (1995) 165
Mair, G.C., Abucay, J.S., Beardmore, J.A. and Skibinski, D.O.F.
Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations 137 (1995) 313
Maliczak, A., *see* Szumiec, M.A. et al.
Malison, J.A., *see* Barry, T.P. et al.
Malone, R.F., *see* Chen, S. et al.
Manoj, Y.B., *see* Bhaskar, N. et al.
Månsson, I., *see* Balebona, M.C. et al.
Marcel, J., *see* Fauconneau, B. et al.
Marchant, T.A., *see* Peter, R.E. et al.
Marchetti, M., Tassinari, M. and Bauce, G.
Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss* 134 (1995) 137
Márián, T., *see* Krasznai, Z. et al.
Márián, T., *see* Krasznai, Z. et al.
Marín, N., *see* Vélez, A. et al.
Marin-Magan, V. and Cañavate, J.P.
Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae 134 (1995) 307
Mariottini, G.L., *see* Carli, A. et al.
Mark Lokman, P. and Young, G.
In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*) 135 (1995) 17
Martínez, G., Caceres, L.A., Uribe, E. and Diaz, M.A.
Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck 132 (1995) 313
Martini, A., *see* Geri, G. et al.
Marty, G.D., Hinton, D.E. and Summerfelt, R.C.
Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation 138 (1995) 35
Martínez-Manzanares, E., *see* Castro, D. et al.
Massee, K.C., Rust, M.B., Hardy, R.W. and Stickney, R.R.
The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish 134 (1995) 351
Mather, P.B., *see* Gu, H. et al.
Matsubara, K., Arai, K. and Suzuki, R.
Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus* 131 (1995) 37
Matsuoka, M.P., *see* Crandell, P.A. et al.
Mayersohn, M., *see* Park, E.D. et al.
Mazurié, J., *see* Hervio, D. et al.
McAdam, S.P., *see* Nell, J.A. et al.

McAndrew, B.J., *see* Hussain, M.G. et al.
McAndrew, B.J., *see* Pongthana, N. et al.
McBride, J.R., *see* Teskeredžić, Z. et al.
McConnell, S., Hamilton, L., Morris, D., Cook, D., Paquet, D., Bentzen, P. and Wright, J.
Isolation of salmonid microsatellite loci and their application to the population genetics of Canadian east coast stocks of Atlantic salmon 137 (1995) 19
McCormick, S.D., *see* Young, G. et al.
McEvoy, L.A., Navarro, J.C., Bell, J.G. and Sargent, J.R.
Autoxidation of oil emulsions during the *Artemia* enrichment process 134 (1995) 101
McGeachy, S.A., Benfey, T.J. and Friars, G.W.
Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture 137 (1995) 333
McGoldrick, D.J., *see* Hedgecock, D. et al.
McGregor, D., *see* Galvin, P. et al.
McKeehen, J.D., *see* Schneegurt, M.A. et al.
McLean, E., *see* Teskeredžić, E. et al.
McLoughlin, M.F., *see* Wheatley, S.B. et al.
McNiven, M.A., *see* Anderson, J.S. et al.
Mecatti, M., *see* Geri, G. et al.
Medina, A., *see* Mourente, G. et al.
Meinertz, J.R., *see* Gingerich, W.H. et al.
Mélard, C., *see* Desprez, D. et al.
Melard, C.
Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales 130 (1995) 25
Menzies, F.D., *see* Wheatley, S.B. et al.
Mercer, J.P., *see* Mai, K. et al.
Mercer, J.P., *see* Mai, K. et al.
Mercer, J.P., *see* Mgaya, Y.D. et al.
Mercer, J.P., *see* Mgaya, Y.D. et al.
Merchie, G., Lavens, P., Dhert, Ph., Dehasque, M., Nelis, H., De Leenheer, A. and Sorgeloos, P.
Variation of ascorbic acid content in different live food organisms 134 (1995) 325
Merican, Z.O. and Shim , K.F.
Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus monodon* 133 (1995) 275
Mesa, K.A., *see* Herbinger, C.M. et al.
Métailler, R., *see* Arzel, J. et al.
Metaxa, I., *see* Bogatu, D. et al.
Metcalfe, N.B., *see* Smith, I.P. et al.
Mgaya, Y.D., Gosling, E.M., Mercer, J.P. and Donlon, J.
Genetic variation at three polymorphic loci in wild and hatchery stocks of the abalone, *Haliotis tuberculata* Linnaeus 136 (1995) 71
Mgaya, Y.D. and Mercer, J.P.
The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus 136 (1995) 297
Miah, M.J.U., *see* Stirling, H.P. et al.
Mialhe, E., *see* Bachère, E. et al.
Mialhe, E., *see* Gendreau, S. et al.
Mialhe, E., *see* Hervio, D. et al.
Mialhe, E., Bachère, E., Boulo, V. and Cadoret, J.P.
Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics 132 (1995) 33
Mikodina, E.V., *see* Linhart, O. et al.
Milner, N., *see* Park, E.D. et al.

Miwa, S., *see* Inui, Y. et al.
Mizukami, Y., Okauchi, M., Kito, H., Ishimoto, S., Ishida, T. and Fuseya, M.
Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata* 132 (1995) 361
Mizuta, Y., *see* Arimoto, M. et al.
Moav, B., Hinits, Y., Groll, Y. and Rothbard, S.
Inheritance of recombinant carp ß-actin/GH cDNA gene in transgenic carp 137 (1995) 179
Moberg, G.P., Watson, J.G., Doroshov, S., Papkoff, H. and Pavlick, Jr., R.J.
Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus* 135 (1995) 27
Moir, J., *see* Clark, D.S. et al.
Molares, J. and Fuentes, J.
Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain) 138 (1995) 131
Molina Grima, E., *see* Montaini, E. et al.
Montaini, E., Chini Zittelli, G., Tredici, M.R., Molina Grima, E., Fernández Sevilla, J.M. and Sánchez Pérez, J.A.
Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile 134 (1995) 81
Montero, D., *see* Robaina, L. et al.
Morales, Y., *see* Riquelme, C. et al.
Moran, P., *see* Garcia-Vazquez, E. et al.
Moreno, F., *see* López-Albors, O. et al.
Moriarty, D.J.W., *see* Allan, G.L. et al.
Moriñigo, M.A., *see* Balebona, M.C. et al.
Moriwake, A., *see* Watanabe, W.O. et al.
Morris, D., *see* McConnell, S. et al.
Morris, D.B., *see* Herbinger, C.M. et al.
Morrison, C.M., *see* Bruno, D.W. et al.
Morvan, A., *see* Bachère, E. et al.
Moss, S.M.
Production of growth-enhancing particles in a plastic-lined shrimp pond 132 (1995) 253
Mourente, G., Medina, A., González, S. and Rodríguez, A.
Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus* 130 (1995) 187
Moyano, F.J., *see* Robaina, L. et al.
Mozes, N., *see* Avnimelech, Y. et al.
Müller-Belecke, A. and Hörstgen-Schwark, G.
Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring 137 (1995) 57
Muñoz, C., *see* Sáez-Royuela, M. et al.
Munro, A.D., *see* Sampath-Kumar, R. et al.
Myers, J.M., *see* Hussain, M.G. et al.
Naas, K.E., *see* Næss, T. et al.
Næss, T., Germain-Henry, M. and Naas, K.E.
First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton 130 (1995) 235
Nagahama, Y., *see* Nakamura, M. et al.
Nagasawa, H., *see* Yang, W. et al.
Nakamura, M. and Nagahama, Y.
Innervation of testes in the tilapia *Oreochromis niloticus* 135 (1995) 41
Nam, Y.K., *see* Kim, D.S. et al.
Navarro, J.C., *see* McEvoy, L.A. et al.
Navas, J.I., *see* Rodríguez, F. et al.
Nelis, H., *see* Merchie, G. et al.

Nell, J.A., *see* Smith, I.R. et al.
Nell, J.A., O'Connor, W.A., Hand, R.E. and McAdam, S.P.
Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture 130 (1995) 389
Newbury, P.F., Culverhouse, P.F. and Pilgrim, D.A.
Automatic fish population counting by artificial neural network 133 (1995) 45
Neyfakh, A.A., *see* Grunina, A.S. et al.
Nezami-Balouchi, S.A., *see* Esteky, A.A. et al.
NicGabhainn, S., *see* Kerry, J. et al.
Nijhof, M.
Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems 134 (1995) 49
Nilssen, K.J., *see* Olsen, Y.A. et al.
Nishida, H., *see* Tanaka, M. et al.
Nishioka, R.S., *see* Siharath, K. et al.
Noël, D., *see* Bachère, E. et al.
Normant, Y., *see* Suquet, M. et al.
Noso, T., *see* Cavari, B. et al.
Novac, C., *see* Bogatu, D. et al.
Novoa, B., Rivas, C., Toranzo, A.E. and Figueras, A.
Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV 130 (1995) 7
Novoa, B., Barja, J.L. and Figueras, A.
Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*) 131 (1995) 1
Noya, M., Magariños, B. and Lamas, J.
Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study 131 (1995) 11
Numachi, K., *see* Saitoh, K. et al.
O'Beirn, F.X., Heffernan, P.B. and Walker, R.L.
Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia 136 (1995) 231
Oberle, M., *see* Schwarz, F.J. et al.
O'Brien, C., *see* Kapetanaki, M. et al.
O'Connor, W.A., *see* Heasman, M.P. et al.
O'Connor, W.A., *see* Nell, J.A. et al.
O'Connor, W.A. and Heasman, M.P.
Spawning induction and fertilisation in the doughboy scallop *Chlamys (Mimachlamys) asperrima* 136 (1995) 117
O'Flynn, F.M., *see* Friars, G.W. et al.
Ogier de Baulny, M., *see* Quentel, C. et al.
Ojolick, E.J., Cusack, R., Benfey, T.J. and Kerr, S.R.
Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature 131 (1995) 177
Okamoto, N., *see* Kurata, O. et al.
Okamoto, N.
Health: Chairperson's Summary 129 (1995) 441
Okauchi, M., *see* Mizukami, Y. et al.
Okumuş, İ., *see* Stirling, H.P. et al.
Oláh, J., *see* Esteky, A.A. et al.
Oláh, J., *see* Esteky, A.A. et al.
Olsen, J.E., *see* Dalsgaard, A. et al.
Olsen, Y.A., Einarsdottir, I.E. and Nilssen, K.J.
Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress 134 (1995) 155

Ormondi, J.G. and Stark, J.R.
Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae) 134 (1995) 121
Ongerth, J.E., *see* Pascho, R.J. et al.
Opačak, A., *see* Bogut, I. et al.
Oprea, L., *see* Bogatu, D. et al.
Orbán, L., *see* Horváth, L. et al.
Ostrensky, A. and Wasielesky Jr., W.
Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967 ..... 132 (1995) 339
Ostrowski-Meissner, H.T., LeaMaster, B.R., Duerr, E.O. and Walsh, W.A.
Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B_1 ..... 131 (1995) 155
Otémé, Z.J., *see* Agnèse, J.-F. et al.
Ouellette, D., *see* Beal, B.F. et al.
Palacios, P., *see* Sievers, G. et al.
Paleček, J., *see* Linhart, O. et al.
Palmisano, A.N., *see* Elliott, D.G. et al.
Pandian, T.J., *see* George, T. et al.
Pandian, T.J. and Sheela, S.G.
Hormonal induction of sex reversal in fish 138 (1995) 1
Pane, L., *see* Carli, A. et al.
Papkoff, H., *see* Moberg, G.P. et al.
Papp, Zs., *see* Jeney, Zs. et al.
Paquet, D., *see* Herbinger, C.M. et al.
Paquet, D., *see* McConnell, S. et al.
Paripatananont, T. and Lovell, R.T.
Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus* . 133 (1995) 73
Parisi, G., *see* Geri, G. et al.
Parisi, G., *see* Geri, G. et al.
Park, D.L., *see* Park, E.D. et al.
Park, E.D., Lightner, D.V., Milner, N., Mayersohn, M., Park, D.I., Gifford, J.M. and Bell, T.A.
Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei* 130 (1995) 113
Park, I.-S., *see* Kim, D.S. et al.
Pascho, R.J., *see* Elliott, D.G. et al.
Pascho, R.J., Landolt, M.L. and Ongerth, J.E.
Inactivation of *Renibacterium salmoninarum* by free chlorine 131 (1995) 165
Pascual, E., *see* Yúfera, M. et al.
Pascual, M.S. and Zampatti, E.A.
Evidence of a chemically mediated adult–larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production 133 (1995) 33
Pavlick, Jr., R.J., *see* Moberg, G.P. et al.
Pearce, M.G., *see* Barlow, C.G. et al.
Pedro Cañavate, J. and Lubián, L.M.
Some aspects on the cryopreservation of microalgae used as food for marine species 136 (1995) 277
Peek, A.S., *see* Thorgaard, G.H. et al.
Pekár, F., *see* Esteky, A.A. et al.
Pekár, F., *see* Esteky, A.A. et al.
Pendas, A.M., *see* Garcia-Vazquez, E. et al.
Peng, H.K., *see* Yu, J.Y.L. et al.
Penman, D.J., *see* Hussain, M.G. et al.
Penman, D.J., *see* Pongthana, N. et al.
Perchec, G., *see* Billard, R. et al.
Perchec, G., Cosson, J., André, F. and Billard, R.

Degradation of the quality of carp sperm by urine contamination during stripping 129 (1995) 137
Peretz, Y., *see* Cherfas, N.B. et al.
Peretz, Y., *see* Gomelsky, B.I. et al.
Person-Le Ruyet, J., Chartois, H. and Quemener, L.
Comparative acute ammonia toxicity in marine fish and plasma ammonia response 136 (1995) 181
Peter, R.E., *see* Lin, H.R. et al.
Peter, R.E., *see* Linhart, O. et al.
Peter, R.E. and Marchant, T.A.
The endocrinology of growth in carp and related species 129 (1995) 299
Petitjean, M., *see* Csengeri, I. et al.
Petitjean, M. and Csengeri, I.
Microencapsulation of hydrosoluble additives to artificial diets for cyprinid larvae to avoid leaching 129 (1995) 255
Philippart, J.C., *see* Desprez, D. et al.
Piacka, V., *see* Svobodova, Z. et al.
Pickering, T.D., Gordon, M.E. and Tong, L.J.
A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta) 130 (1995) 43
Piferrer, F., *see* Blázquez, M. et al.
Pilarczyk, A.
Changes in specific carp immune reaction caused by addition of fish oil to pellets 129 (1995) 425
Pilgrim, D.A., *see* Newbury, P.F. et al.
Pitman, E.R., *see* Herbinger, C.M. et al.
Poleksić, V.D., *see* Tutundžić, V.V. et al.
Poli, B.M., *see* Geri, G. et al.
Poli, B.M., *see* Geri, G. et al.
Polo, A., *see* Sarasquete, M.C. et al.
Pongthana, N., Penman, D.J., Karnasuta, J. and McAndrew, B.J.
Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety 135 (1995) 267
Pontifex, T., *see* Rowland, S.J. et al.
Ponza, S., *see* Eves, A. et al.
Ponzetta, M.P., *see* Geri, G. et al.
Pou, M.N., *see* Cerdà, J. et al.
Powers, D.A., *see* Chatakondi, N. et al.
Prayitno, S.B. and Latchford, J.W.
Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity 132 (1995) 105
Procarione, L.S., *see* Barry, T.P. et al.
Prodöhl, P.A., Taggart, J.B. and Ferguson, A.
A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture 137 (1995) 87
Prokeš, M., *see* Linhart, O. et al.
Puckhaber, B., *see* Brämick, U. et al.
Pursell, L., *see* Hiney, M.P. et al.
Pursell, L., Samuelsen, O.B. and Smith, P.
Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water 135 (1995) 245
Purser, G.J., *see* Hart, P.R. et al.
Qin, J., Madon, S.P. and Culver, D.A.
Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture 130 (1995) 51
Quemener, L., *see* Person-Le Ruyet, J. et al.
Quentel, C. and Ogier de Baulny, M.

Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis 132 (1995) 125
Ráb, P., *see* Linhart, O. et al.
Radünz-Neto, J., *see* Geurden, I. et al.
Raghunath, B.S., *see* Bhaskar, N. et al.
Rahman, M.A., Bhadra, A., Begum, N., Islam, M.S. and Hussain, M.G.
Production of hybrid vigor through cross breeding between *Clarias batrachus* Lin. and *Clarias gariepinus* Bur. 138 (1995) 125
Ramasamy, P., Brennan, G.P. and Jayakumar, R.
A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in Madras, India 130 (1995) 129
Ramírez-Zarzosa, G., *see* López-Albors, O. et al.
Randall, C.F., *see* Hussain, M.G. et al.
Rao, G.P.S., *see* Hussain, M.G. et al.
Recoubratsky, A.V., *see* Cherfas, N.B. et al.
Reddy, G.V.S., *see* Bhaskar, N. et al.
Reed, Jr., E.B., *see* Webster, C.D. et al.
Reigh, R.C., *see* Andrew Sullivan and Reigh
Rema, P., *see* Gomes, E.F. et al.
Reno, P., *see* Schreck, C.B. et al.
Renshaw, S., *see* Beal, B.F. et al.
Reyes-Sosa, C.F. and Castellanos-Molina, R.
Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus* 138 (1995) 323
Riaza, A., *see* Toranzo, A.E. et al.
Ribble, C.S., *see* Stephen, C. et al.
Richter, C.J.J., *see* Bongers, A.B.J. et al.
Rigas, P., *see* Touraki, M. et al.
Rijn, J.v., *see* Aboutboul, Y. et al.
Rijn, J.v., Fonarev, N. and Berkowitz, B.
Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids 133 (1995) 9
Riquelme, C., Hayashida, G., Vergara, N., Vasquez, A., Morales, Y. and Chavez, P.
Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile 138 (1995) 49
Rivas, C., *see* Novoa, B. et al.
Robaina, L., *see* Fernández-Palacios, H. et al.
Robaina, L., Izquierdo, M.S., Moyano, F.J., Socorro, J., Vergara, J.M., Montero, D. and Fernández-Palacios, H.
Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications 130 (1995) 219
Robledo, J.A.F., *see* Cáceres-Martínez, J. et al.
Robledo, J.A.F., Santarém, M.M., González, P. and Figueras, A.
Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load 133 (1995) 311
Rodgers, L.J., *see* Barlow, C.G. et al.
Rodríguez, A., *see* Mourente, G. et al.
Rodriguez, E.M., *see* Bombeo-Tuburan, I. et al.
Rodriguez, J., *see* Bachère, E. et al.
Rodríguez-Gutiérrez, M. and Esquivel-Herrera, A.
Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp (*Cyprinus carpio*) 129 (1995) 431
Rodríguez, F. and Navas, J.I.
A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve) 132 (1995) 145

Romalde, J.L., *see* Toranzo, A.E. et al.
Romero, B.A., *see* Ibarra, A.M. et al.
Romestand, B., *see* Bourmaud, C.A.-F. et al.
Ron, B., Shimoda, S.K., Iwama, G.K. and Gordon Grau, E.
Relationships among ration, salinity, 17α-methyltestosterone and growth in the euryhaline tilapia, *Oreochromis mossambicus* 135 (1995) 185
Roos, N. and Eriksen, J.R.
Sediment respiration and denitrification in integrated carp polyculture 129 (1995) 393
Roper, J., Grayson, T.H., Jenkins, P.G., Hone, J.V., Wrathmell, A.B., Russell, P.M. and Harris, J.E.
The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837) 132 (1995) 221
Rosas, C., *see* Gallardo, P.P. et al.
Ross, D.A., *see* Wagner, E.J. et al.
Rothbard, S., *see* Linhart, O. et al.
Rothbard, S., *see* Moav, B. et al.
Routledge, D., *see* Wagner, E.J. et al.
Rowland, S.J., Allan, G.L., Hollis, M. and Pontifex, T.
Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds 130 (1995) 317
Russell, P.M., *see* Roper, J. et al.
Rust, M.B., *see* Massee, K.C. et al.
Rutan, B.J., *see* Faisal, M. et al.
Saeed, M.O.
Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait 136 (1995) 21
Sáez-Royuela, M., Carral, J.M., Celada, J.D. and Muñoz, C.
Effects of management on survival and growth of Stage 2 juvenile freshwater signal crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions 133 (1995) 123
Safner, R., *see* Aničić, I. et al.
Sağlam, N., *see* Sarieyyüpoğlu, M. et al.
Sagristà, E., Durfort, M. and Azevedo, C.
Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host 132 (1995) 153
Saha, P.R., *see* Schneegurt, M.A. et al.
Saitoh, K., Tanaka, M., Ueshima, R., Kamaishi, T., Kobayashi, T. and Numachi, K.
Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA 136 (1995) 109
Sakai, M., Terutoyo, ., Yoshida, . and Kobayashi, M.
Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum* 138 (1995) 61
Sakamoto, T., *see* Varnavsky, V.S. et al.
Salhi, M., *see* Fernández-Palacios, H. et al.
Sami-Demmerle, S., *see* Faisal, M. et al.
Sampath-Kumar, R., Byers, R.E., Munro, A.D. and Lam, T.J.
Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer* 132 (1995) 349
Samuelsen, O.B., *see* Hiney, M.P. et al.
Samuelsen, O.B., *see* Lunestad, B.T. et al.
Samuelsen, O.B., *see* Pursell, L. et al.
Sánchez Pérez, J.A., *see* Montaini, E. et al.
Sanhueza, M.A., *see* Toro, J.E. et al.
Sano, N., *see* Kurata, O. et al.
Sano, T.
Viruses and viral diseases of salmonids 132 (1995) 43
Santamaría, J.A., *see* Castro, D. et al.
Santarém, M.M., *see* Robledo, J.A.F. et al.

Santos, M.J. and Eiras, J.C.
A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal 132 (1995) 175
Sarasquete, M.C., Polo, A. and Yúfera, M.
Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L. 130 (1995) 79
Sargent, J.R., *see* McEvoy, L.A. et al.
Sarieyyüpoğlu, M. and Sağlam, N.
Some external parasites on cyprinids in Keban Dam Lake 129 (1995) 438
Sarroza, J.C., *see* Triño, A.T. et al.
Sato, N., Kawazoe, I., Shiina, Y., Furukawa, K., Suzuki, Y. and Aida, K.
A novel method of hormone administration for inducing gonadal maturation in fish 135 (1995) 51
Saunders, R.L., *see* Duston, J. et al.
Saxena, P.K., *see* Sehgal, G.K. et al.
Scheer, B., *see* Wagner, E.J. et al.
Scheerer, P.D., *see* Thorgaard, G.H. et al.
Schneegurt, M.A., Arieli, B., McKeehen, J.D., Stephens, S.D., Suzanne Nielsen, S., Saha, P.R., Trumbo, P.R. and Sherman, L.A.
Compositional and toxicological evaluation of the diazotrophic cyanobacterium, *Cyanothece* sp. strain ATCC 51142 ..... 134 (1995) 339
Schreck, C.B., *see* Feist, G. et al.
Schreck, C.B., *see* Slater, C.H. et al.
Schreck, C.B., *see* Slater, C.H. et al.
Schreck, C.B., Jonsson, L., Feist, G. and Reno, P.
Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress 135 (1995) 99
Schreckenbach, K., *see* Knösche, R. et al.
Schwarz, F.J., Oberle, M. and Kirchgessner, M.
Nutrient content of zooplankton in carp ponds 129 (1995) 255
Scott, T.M., *see* Hardy, R.W. et al.
Scott Quackenbush, L., *see* Huberman, A. et al.
Secombes, C.J., *see* Thompson, I. et al.
Sedlacek, J.D., *see* Tidwell, J.H. et al.
Seenappa, D. and Devaraj, K.V.
Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.) 129 (1995) 243
Sehgal, G.K., Saxena, P.K. and Sehgal, H.S.
Hormonal control of sex in common carp and its application to composite fish culture 129 (1995) 219
Sehgal, H.S., *see* Sehgal, G.K. et al.
Sehgal, H.S. and Toor, H.S.
Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp 129 (1995) 113
Seikai, T., *see* Dedi, J. et al.
Senior, W., *see* Vélez, A. et al.
Senn, C.M., *see* Toro, J.E. et al.
Setty, T.M.R., *see* Bhaskar, N. et al.
Shahidi, F., *see* Srivastava, R.K. et al.
Shaw, D.P., *see* Beal, B.F. et al.
Shearer, K.D.
The use of factorial modeling to determine the dietary requirements for essential elements in fishes 133 (1995) 57
Sheela, S.G., *see* Pandian, T.J. et al.
Shelbourn, J.E., *see* Appelbaum, S. et al.

Shelby, R.A., *see* Lumlertdacha, S. et al.
Shelton, W.L., Wanniasingham, V. and Hiott, A.E.
Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate 137 (1995) 203
Shen, S.T., *see* Yu, J.Y.L. et al.
Sheridan, A.K., *see* Smith, I.R. et al.
Sherman, L.A., *see* Schneegurt, M.A. et al.
Shiau, S.-Y. and Hsu, T.-S.
L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for tilapia, *Oreochromis niloticus* × *O. aureus* 133 (1995) 147
Shiau, S.-Y. and Chuang, J.-C.
Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* × *O. aureus* 133 (1995) 249
Shiina, Y., *see* Sato, N. et al.
Shim, K.F., *see* Gunasekera, R.M. et al.
Shim , K.F., *see* Merican, Z.O. et al.
Shimoda, S.K., *see* Ron, B. et al.
Siddiqui, A.Q. and Al-Harbi, A.H.
Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia 138 (1995) 145
Sievers, G., Palacios, P., Inostroza, R. and Dölz, H.
Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopode parasite, *Ceratothoa gaudichaudii* 134 (1995) 9
Sigholt, T., Staurnes, M., Jakobsen, H.J. and Åsgård, T.
Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*) 130 (1995) 373
Siharath, K., Nishioka, R.S. and Bern, H.A.
In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass, *Morone saxatilis* 135 (1995) 195
Simco, B.A., *see* Goudie, C.A. et al.
Simco, B.A., *see* Goudie, C.A. et al.
Simell, M., *see* Teskeredžić, Z. et al.
Sin, Y.M., *see* Angka, S.L. et al.
Sin, Y.M., *see* Lan, W.G. et al.
Skibinski, D.O.F., *see* Mair, G.C. et al.
Slater, C.H., Schreck, C.B. and Amend, D.F.
GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water 130 (1995) 279
Slater, C.H., Fitzpatrick, M.S. and Schreck, C.B.
Androgens and immunocompetence in salmonids: specific binding in and reduced immunocompetence of salmonid lymphocytes exposed to natural and synthetic androgens 136 (1995) 363
Slechta, V., *see* Linhart, O. et al.
Šlechta, V., *see* Linhart, O. et al.
Slotved, H.-C., *see* Buchmann, K. et al.
Smith, I.P., Metcalfe, N.B. and Huntingford, F.A.
The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo salar* L.) in a marine net pen 130 (1995) 167
Smith, I.R., Sheridan, A.K. and Nell, J.A.
Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis* (Iredale and Roughley) selective breeding program 131 (1995) 189
Smith, P., *see* Hiney, M.P. et al.
Smith, P., *see* Kapetanaki, M. et al.
Smith, P., *see* Kerry, J. et al.
Smith, P., *see* Pursell, L. et al.
Smoker, W.W., *see* Crandell, P.A. et al.

Smith, P., *see* Pursell, L. et al.
Smoker, W.W., *see* Crandell, P.A. et al.
Socorro, J., *see* Robaina, L. et al.
Solar, I.I., *see* Withler, R.E. et al.
Sommer, A.-I., *see* Johansen, L.-H. et al.
Sorgeloos, P., *see* Merchie, G. et al.
Soto, C.G. and Burhanuddin, .
Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*) 136 (1995) 149
Soto, L.A., *see* Gallardo, P.P. et al.
Soucy, P., *see* Guillou, A. et al.
Southgate, P.C. and Lou, D.C.
Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils 134 (1995) 91
Spruell, P., *see* Thorgaard, G.H. et al.
Srivastava, R.K., Brown, J.A. and Shahidi, F.
Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*) 131 (1995) 115
Stark, J.R., *see* Omondi, J.G. et al.
Staurnes, M., *see* Sigholt, T. et al.
Steffens, W. and Beveridge, M.C.M.
Nutrition: Chairmen's Summary 129 (1995) 261
Stéphan, G., Guillaume, J. and Lamour, F.
Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids 130 (1995) 251
Stephen, C. and Ribble, C.S.
An evaluation of surface moribund salmon as indicators of seapen disease status 133 (1995) 1
Stephens, S.D., *see* Schneegurt, M.A. et al.
Stet, R.J.M., *see* Wiegertjes, G.F. et al.
Stević, I., *see* Bogut, I. et al.
Stickney, R.R., *see* Massee, K.C. et al.
Stirling, H.P., Miah, M.J.U. and Blow, P.Q.C.
Use of mesocosms in a greenhouse pond to evaluate manure treatments for carp 129 (1995) 394
Stirling, H.P. and Okumuş, İ.
Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs 134 (1995) 193
Storebakken, T., *see* Hatlen, B. et al.
Sudaryono, A., Hoxey, M.J., Kailis, S.G. and Evans, L.H.
Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon* 134 (1995) 313
Sukenik, A., *see* Lubzens, E. et al.
Sumagaysay, N.S. and Borlongan, I.G.
Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels 132 (1995) 273
Sumantadinata, K.
Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia 129 (1995) 205
Summerfelt, R.C., *see* Marty, G.D. et al.
Sumpter, J., *see* Kaushik, S.J. et al.
Sun, B. and Fleeger, J.W.
Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system 136 (1995) 313
Sun, Y., *see* Lin, H.R. et al.
Suquet, M., Billard, R., Cosson, J., Normant, Y. and Fauvel, C.
Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact 133 (1995) 83

Suzanne Nielsen, S., *see* Schneegurt, M.A. et al.
Suzuki, R., *see* Arai, K. et al.
Suzuki, R., *see* Matsubara, K. et al.
Suzuki, Y., *see* Sato, N. et al.
Suzumura, E., *see* Kurata, O. et al.
Svobodova, Z., Vykusova, B., Machova, J. and Piacka, V.
Evaluation of the content of pollutants in market carp from ponds of the Czech Republic .. 129 (1995) 342
Svobodová, Z., Máchová, J. and Faina, R.
Toxic gill necrosis in carp 129 (1995) 439
Szabó, P., *see* Esteky, A.A. et al.
Szerencsés, I., *see* Csizmadia, Cs. et al.
Szumiec, M.A. and Maliczak, A.
Validation of a model of 2-year-old carp growth 129 (1995) 337
Szymacha, J., *see* Bieniarz, K. et al.
Tagawa, M., *see* Tanaka, M. et al.
Taggart, J.B., *see* Prodöhl, P.A. et al.
Takeda, N., *see* Ijiri, S. et al.
Takeuchi, T., *see* Dedi, J. et al.
Tanaka, M., *see* Saitoh, K. et al.
Tanaka, M., Tanangonan, J.B., Tagawa, M., De Jesus, E.G., Nishida, H., Isaka, M., Kimura, R. and Hirano, T.
Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae 135 (1995) 111
Tanangonan, J.B., *see* Tanaka, M. et al.
Tandler, A., Anav, F.A. and Choshniak, I.
The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae 135 (1995) 343
Taniguchi, N., *see* Del Valle, G. et al.
Tassinari, M., *see* Marchetti, M. et al.
Terutoyo, ., *see* Sakai, M. et al.
Teskeredžić, E., Tomec, M., Hacmanjek, M., McLean, E., Teskeredžić, Z. and Donaldson, E.
Growth and body composition of common carp (*Cyprinus carpio* L.) maintained under aphagic thermal conditions: response to porcine somatotropin therapy 129 (1995) 343
Teskeredzic, Z., *see* Brackett, J. et al.
Teskeredžić, Z., *see* Teskeredžić, E. et al.
Teskeredžić, Z., Higgs, D.A., Dosanjh, B.S., McBride, J.R., Hardy, R.W., Beames, R.M., Jones, J.D., Simell, M., Vaara, T. and Bridges, R.B.
Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*) 131 (1995) 261
Thavornyutikarn, M., *see* Jarayabhand, P. et al.
Thien, T.M. and Trong, T.D.
Genetic resources of common carp in Vietnam 129 (1995) 216
Thompson, I., Choubert, G., Houlihan, D.F. and Secombes, C.J.
The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout 133 (1995) 91
Thorgaard, G.H., *see* Galbreath, P.F. et al.
Thorgaard, G.H., *see* Galbreath, P.F. et al.
Thorgaard, G.H., *see* Young, W.P. et al.
Thorgaard, G.H., Spruell, P., Wheeler, P.A., Scheerer, P.D., Peek, A.S., Valentine, J.J. and Hilton, B.
Incidence of albinos as a monitor for induced triploidy in rainbow trout 137 (1995) 121
Thorne, M.J., *see* Loya-Javellana, G.N. et al.
Thrandur Björnsson, B., *see* Young, G. et al.
Tidwell, J.H., *see* Webster, C.D. et al.
Tidwell, J.H., *see* Webster, C.D. et al.

Tidwell, J.H., Webster, C.D., Sedlacek, J.D., Weston, P.A., Knight, W.L., Hill Jr., S.J., D'Abramo, L.R., Daniels, W.H., Fuller, M.J. and Labrenty Montañez, J.
Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations 138 (1995) 169
Tien, N.-Y., *see* Lo, C.-F. et al.
Titareva, L.N., *see* Tsvetkova, L.I. et al.
Tiu, L.G., *see* Webster, C.D. et al.
Tiu, L.G., *see* Webster, C.D. et al.
Tomec, M., *see* Teskeredžić, E. et al.
Tong, L.J., *see* Pickering, T.D. et al.
Tongdee, N., *see* Eves, A. et al.
Toor, H.S., *see* Sehgal, H.S. et al.
Toranzo, A.E., *see* Novoa, B. et al.
Toranzo, A.E., Devesa, S., Romalde, J.L., Lamas, J., Riaza, A., Leiro, J. and Barja, J.L.
Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot 134 (1995) 17
Toro, J.E., Sanhueza, M.A., Winter, J.E., Senn, C.M., Aguila, P. and Vergara, A.M.
Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile 136 (1995) 153
Touraki, M., Rigas, P. and Kastritsis, C.
Liposome mediated delivery of water soluble antibiotics to the larvae of aquatic animals ... 136 (1995) 1
Tredici, M.R., *see* Montaini, E. et al.
Treer, T., *see* Aničić, I. et al.
Trifio, A.T. and Sarroza, J.C.
Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system 136 (1995) 323
Trofimov, L., *see* Bogatu, D. et al.
Trón, L., *see* Krasznai, Z. et al.
Trón, L., *see* Krasznai, Z. et al.
Trong, T.D., *see* Thien, T.M. et al.
Trott, L., *see* Benzie, J.A.H. et al.
Trott, L., *see* Benzie, J.A.H. et al.
Trumbo, P.R., *see* Schneegurt, M.A. et al.
Tsvetkova, L.I., Titareva, L.N., Kochetov, A.A. and Voronina, V.P.
Cryoresistance of common carp sperm 129 (1995) 138
Tung, M.-C., *see* Hsu, Y.-L. et al.
Turner, C., *see* Eves, A. et al.
Tutundžić, V.V., Vidmanić, L.B. and Poleksić, V.D.
Effects of inflow water quality on living conditions in cyprinid fish ponds 129 (1995) 395
Ueshima, R., *see* Saitoh, K. et al.
Uribe, E., *see* Martínez, G. et al.
Vaara, T., *see* Teskeredžić, Z. et al.
Vachta, R., *see* Barth, T. et al.
Valencia, A., *see* Fernández-Palacios, H. et al.
Valentine, J.J., *see* Thorgaard, G.H. et al.
Vallod, D.
Carp processing and market analysis: a case study in France 129 (1995) 476
Vallot, D., *see* Fauconneau, B. et al.
Valtonen, E.T., *see* Hietala, J. et al.
Van Muiswinkel, W.B., *see* Wiegertjes, G.F. et al.
Váradi, L., Hidas, A., Várkonyi, E. and Horváth, L.
Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchonius*) 129 (1995) 211
Váradi, L.

Equipment for the production and processing of carp 129 (1995) 443
Varian, S.J.A., *see* Deady, S. et al.
Várkonyi, E., *see* Váradi, L. et al.
Varnavsky, V.S., Sakamoto, T. and Hirano, T.
Effects of premature seawater transfer and fasting on plasma growth hormone levels of yearling coho salmon (*oncorhynchus kisutch*) parr 135 (1995) 141
Vasquez, A., *see* Riquelme, C. et al.
Vázquez, J.M., *see* López-Albors, O. et al.
Vélez, A., Freites, L., Himmelman, J.H., Senior, W. and Marín, N.
Growth of the tropical scallop, *Euvola (Pecten) ziczac*, in bottom and suspended culture in the Golfo de Cariaco, Venezuela 136 (1995) 257
Vergara, A.M., *see* Toro, J.E. et al.
Vergara, J.M., *see* Fernández-Palacios, H. et al.
Vergara, J.M., *see* Robaina, L. et al.
Vergara, N., *see* Riquelme, C. et al.
Vidmanić, L.B., *see* Tutundžić, V.V. et al.
Vigneulle, M. and Baudin Laurencin, F.
Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France 132 (1995) 121
Villalba, A.
Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia (N.W. Spain) 130 (1995) 269
Voronina, V.P., *see* Tsvetkova, L.I. et al.
Vuillemin, V., *see* Hervio, D. et al.
Vykusova, B., *see* Svobodova, Z. et al.
Wada, K.T., Komaru, A., Ichimura, Y. and Kurosaki, H.
Spawning peak occurs during winter in the Japanese subtropical population of the pearl oyster, *Pinctada fucata fucata* (Gould, 1850) 133 (1995) 207
Wagner, E.J., *see* Bosakowski, T. et al.
Wagner, E.J., Ross, D.A., Routledge, D., Scheer, B. and Bosakowski, T.
Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered raceways or demand fed 136 (1995) 131
Walker, R.L., *see* O'Beirn, F.X. et al.
Walsh, W.A., *see* Ostrowski-Meissner, H.T. et al.
Walsh, W.A., *see* Wyban, J. et al.
Wang, C.-H., *see* Kou, G.-H. et al.
Wang, C.-H., *see* Lo, C.-F. et al.
Wanniasingham, V., *see* Shelton, W.L. et al.
Wasielesky Jr., W., *see* Ostrensky, A. et al.
Watanabe, T., *see* Dedi, J. et al.
Watanabe, W.O., Lee, C.-S., Ellis, S.C. and Ellis, E.P.
Hatchery study of the effects of temperature on eggs and yolksac larvae of the Nassau grouper *Epinephelus striatus* 136 (1995) 141
Watanabe, W.O., Ellis, S.C., Ellis, E.P., Head, W.D., Kelley, C.D., Moriwake, A., Lee, C.-S. and Bienfang, P.K.
Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction 138 (1995) 205
Watson, J.G., *see* Moberg, G.P. et al.
Webster, C.D., *see* Tidwell, J.H. et al.
Webster, C.D., Tiu, L.G., Tidwell, J.H., Wyk, P.V. and Howerton, R.D.
Effects of dietary protein and lipid levels on growth and body composition of sunshine bass (*Morone chrysops*×*M. saxatilis*) reared in cages 131 (1995) 291
Webster, C.D., Tiu, L.G., Tidwell, J.H. and Reed, Jr., E.B.
Effects of feeding the repartitioning agent L644,969 on growth and body composition of blue catfish, *Ictalurus furcatus*, fed diets containing two protein levels reared in cages . 134 (1995) 247

Weete, J.D., *see* Chatakondi, N. et al.
Wekell, J.C., *see* Hardy, R.W. et al.
Wells, R.M.G. and Baldwin, J.
A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals 134 (1995) 361
Weng, C.F., *see* Yu, J.Y.L. et al.
Weston, P.A., *see* Tidwell, J.H. et al.
Wheatley, S.B., McLoughlin, M.F., Menzies, F.D. and Goodall, E.A.
Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production 136 (1995) 195
Wheeler, P.A., *see* Thorgaard, G.H. et al.
Wheeler, P.A., *see* Young, W.P. et al.
Wiegand, M.D.
The goldfish (*Carassius auratus*) as a model system for the study of embryonic and larval lipid metabolism in cyprinid fish 129 (1995) 138
Wiegertjes, G.F., Stet, R.J.M. and Van Muiswinkel, W.B.
Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish 137 (1995) 257
Wilkins, N.P., Gosling, E., Curatolo, A., Linnane, A., Jordan, C. and Courtney, H.P.
Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids 137 (1995) 77
Winter, J.E., *see* Toro, J.E. et al.
Witeska, M., Jezierska, B. and Chaber, J.
The influence of cadmium on common carp embryos and larvae 129 (1995) 129
Withler, R.E., Beacham, T.D., Solar, I.I. and Donaldson, E.M.
Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*) 136 (1995) 91
Wolnicki, J. and Górny, W.
Controlled rearing of ide (*Leuciscus idus* L.) larvae using live food and dry feed 129 (1995) 256
Wolnicki, J. and Górny, W.
Suitability of two commercial dry diets for intensive rearing of larval tench (*Tinca tinca* L.) under controlled conditions 129 (1995) 257
Wolnicki, J. and Górny, W.
Survival and growth of larval and juvenile barbel (*Barbus barbus* L.) reared under controlled conditions 129 (1995) 257
Wolters, W.R. and Johnson, M.R.
Analysis of a diallel cross to estimate effects of crossing on resistance to enteric septicemia in channel catfish, *Ictalurus punctatus* 137 (1995) 263
Wong, M.K., *see* Lan, W.G. et al.
Woo, N.Y.S. and Kelly, S.P.
Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system 135 (1995) 229
Woods III , L.C., *see* Harrell, R.M. et al.
Wrathmell, A.B., *see* Roper, J. et al.
Wright, J., *see* McConnell, S. et al.
Wright, J.M., *see* Herbinger, C.M. et al.
Wu, J., *see* Chen, S. et al.
Wu, J.-L., *see* Hsu, Y.-L. et al.
Wyban, J., Walsh, W.A. and Godin, D.M.
Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*) 138 (1995) 267
Wyk, P.V., *see* Webster, C.D. et al.
Yakupitiyage, A., *see* Eves, A. et al.

Yamano, K., *see* Inui, Y. et al.
Yamauchi, K., *see* Ijiri, S. et al.
Yamazaki, T., *see* Arimoto, M. et al.
Yang, W., Aida, K. and Nagasawa, H.
Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus* 135 (1995) 205
Yang, Y.-H., *see* Hsu, Y.-L. et al.
Yao, Z. and Crim, L.W.
Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs 130 (1995) 361
Yaron, Z.
Endocrine control of gametogenesis and spawning induction in the carp 129 (1995) 49
Yeoh, C.-G., *see* Feist, G. et al.
Yesaki, T.Y., *see* Devlin, R.H. et al.
Yndestad, M., *see* Hektoen, H. et al.
Yoshida, ., *see* Sakai, M. et al.
Young, G., *see* Mark Lokman, P. et al.
Young, G., McCormick, S.D., Thrandur Björnsson, B. and Bern, H.A.
Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages 136 (1995) 371
Young, W.P., Wheeler, P.A. and Thorgaard, G.H.
Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow trout 137 (1995) 67
Yu, J.Y.L., Shen, S.T., Liu, C.T., Weng, C.F., Peng, H.K. and Liu, F.G.
Comparative effects of avian and piscine gonadotrophins on gonadal steroidogenesis, and of avian and piscine pituitaries on induction of spermiation and ovulation in the loach and white silver carp 135 (1995) 59
Yu, P.-J., *see* Lo, C.-F. et al.
Yúfera, M., *see* Fernández-Díaz, C. et al.
Yúfera, M., *see* Sarasquete, M.C. et al.
Yúfera, M., Fernández-Díaz, C. and Pascual, E.
Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules 134 (1995) 259
Zampatti, E.A., *see* Pascual, M.S. et al.
Zandieh Doulabi, B., *see* Bongers, A.B.J. et al.
Zanuy, S., *see* Blázquez, M. et al.
Zhang, Q., *see* Lin, H.R. et al.
Zhang, W.M., *see* Lin, H.R. et al.
Zmora, O., *see* Lubzens, E. et al.
Zoccarato, I., Benatti, G., Calvi, S.L. and Bianchini, M.L.
Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy 129 (1995) 387
Zohar, Y., *see* Linhart, O. et al.

ELSEVIER

Aquaculture 138 (1995) 403–460

Aquaculture

Subject Index, Volumes 129–138

17α,20β-Dihydroxy-4-pregnen-3-one
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Acanthopagrus cuvieri
Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait, 136 (1995) 21

Accommodation
Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Acetylcholinesterase
Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Acipenser transmontanus
Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Acute toxicity
Comparative acute ammonia toxicity in marine fish and plasma ammonia response, 136 (1995) 181

Aerators
Equipment for the production and processing of carp, 129 (1995) 443

Aeromonas hydrophila
Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Aeromonas salmonicida
Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Aflatoxin B_1
Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B_1, 131 (1995) 155

Air exposure
A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Albinism
Incidence of albinos as a monitor for induced triploidy in rainbow trout, 137 (1995) 121

Alevin colour
Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Algae
Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

Effect of food supply on oyster spatfall, 131 (1995) 315

Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference, 134 (1995) 279

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

All-female

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Allometry

Allometric relationships and effects of temperature on clearance and oxygen consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Amino acids

Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*), 138 (1995) 291

Amino acid sequence

Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Ammonia

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967, 132 (1995) 339

Comparative acute ammonia toxicity in marine fish and plasma ammonia response, 136 (1995) 181

Anaerobic digestion

Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

Anaesthetic

Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149

Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp (*Cyprinus carpio*), 129 (1995) 431

Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve, 131 (1995) 231

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Androgenesis

Genome and gene manipulation in the common carp, 129 (1995) 157

Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids, 137 (1995) 131

Androgenetic clones

Maternal influence on development of androgenetic clones of common carp, *Cyprinus carpio* L., 137 (1995) 139

Androgens

The production of functional sex-reversed male rainbow trout with 17α-methyltestosterone and 11β-hydroxyandrostenedione, 131 (1995) 145

Androgens and immunocompetence in salmonids: specific binding in and reduced immunocompetence of salmonid lymphocytes exposed to natural and synthetic androgens, 136 (1995) 363

Anguilla anguilla

Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Anguilla dieffenbachii

In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New

Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Anguilla japonica
A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Anion channel inhibitors
Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Antibiotics
Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Liposome mediated delivery of water soluble antibiotics to the larvae of aquatic animals, 136 (1995) 1

Antibodies
Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Anti-nutritional factors
Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Apicomplexa
Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Appetite
Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Archaeology
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Arctic charr
Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

Argopecten circularis
Effects of inbreeding on growth and survival of self-fertilized catarina scallop larvae, *Argopecten circularis, 134 (1995) 37*

Argopecten purpuratus
Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313

Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile, 138 (1995) 49

Aristichthys nobilis
Different systems of carp production and their impacts on the environment, 129 (1995) 347

Chromosomal location of Nors and C bands in F_1 hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Aromatase
In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Artemia
Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

***Artemia* and zooplankton**
First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Artemia franciscana

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Liposome mediated delivery of water soluble antibiotics to the larvae of aquatic animals, 136 (1995) 1

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Artificial insemination

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Artificial neural network

Automatic fish population counting by artificial neural network, 133 (1995) 45

Artificial selection

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Ascorbic acid

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Assimilation efficiency

Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313

Astaxanthin

The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Asymmetry

Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow trout, 137 (1995) 67

Autoxidation

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Bacteria

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile, 138 (1995) 49

Bacteria – adhesion

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Bacterial kidney disease

Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Baculoviral mid-gut gland necrosis virus (BMNV)
Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Ballistic gene transfer
Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Barbus conchonius
Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchonius*), 129 (1995) 211

Behaviour
Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens, 131 (1995) 49

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Beko disease of eel
A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Benthic macroinvertebrates
Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Benthos
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Bidyanus bidyanus
Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

Bioassay
Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Biochemical composition
First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Biofilters
Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Biomass-mollusc
The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Biotechnology
A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Birnaviridae
The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Birnavirus
Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1

Bivalve
Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Black pearls
Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia, 133 (1995) 113

Body composition
Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment, 129 (1995) 329

Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Body traits
Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment, 129 (1995) 329

Bonamia
Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Bonamia ostreae
Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Bonamiasis
Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Bone deformity
Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

Bone zinc deposition
Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Brachionus
Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Brachionus plicatilis
Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Brazil – Santa Catarina
Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Breeding programs
Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis* (Iredale and Roughley) selective breeding program, 131 (1995) 189

Breeding programs – prawn
RAPD markers of potential use in penaeid prawn *(Penaeus monodon)* breeding programs, 130 (1995) 137

Brook charr
Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Brown ring disease
Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Cadmium
The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

Cages
Equipment for the production and processing of carp, 129 (1995) 443

Carassius auratus
The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Carbohydrates
Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus*×*O. aureus*, 133 (1995) 249

Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Carbohydrate utilization
Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331

Carbon / organic —degradation
Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211

Carotenoids
The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

Carp – hybrids
Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Carp – landraces
Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193

Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Carp pituitary extract
Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119

Carp – strains
Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205

Carrier condition
In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91

Catla catla
Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187

Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Caviar
Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

C-band
Chromosomal location of Nors and C bands in F_1 hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Cell culture
Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43

Cell lines
Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59

Ceratothoa gaudichaudii
Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopode parasite, *Ceratothoa gaudichaudii*, 134 (1995) 9

Cereal grains
Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Chanos chanos
Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Chemical attractants
Evidence of a chemically mediated adult–larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Chemosensory preference
Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Cherax quadricarinatus
Juvenile growth performance among stocks and families of red claw crayfish, *Cherax quadricarinatus* (von Martens), 134 (1995) 29

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) II. Juvenile nutrition and habitat, 138 (1995) 239

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) III. Managed pond production trials, 138 (1995) 247

Chicken manure
Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291

Chile
Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

Chinook salmon
Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Chlamys (Mimachlamys) asperrima
Spawning induction and fertilisation in the doughboy scallop *Chlamys (Mimachlamys) asperrima*, 136 (1995) 117

Chlorine
Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Chromosome
Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185

Chrysophrys major
Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Cirrhinus mrigala
Different systems of carp production and their impacts on the environment, 129 (1995) 347

Clarias gariepinus
Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Cleaner-fish
The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Clearance rate
Allometric relationships and effects of temperature on clearance and oxygen consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Clones
Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Cloning
Genome and gene manipulation in the common carp, 129 (1995) 157

Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Closed systems
Equipment for the production and processing of carp, 129 (1995) 443

Clove oil
Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149

Cobble
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Colour aberrations
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Combined metals
Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Comparative nutrition
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Compensatory
Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Complete diet
Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Computer simulation
Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Concrete
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Conditioning
Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Control region
Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Cooling rate
Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Cortisol
Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Crassostrea gigas
Effect of food supply on oyster spatfall, 131 (1995) 315

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Crassostrea virginica
Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia, 136 (1995) 231

Crayfish
A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Crenilabrus melops
The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Crossbreeding
A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

Cross-hybridization
A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Crustacea
Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Crustacean
A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Knowledge and research prospects in marine mollusc and crustacean immunology, 132 (1995) 17

Cryopreservation
Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Ctenolabrus rupestris
The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Ctenopharyngodon idella
Different systems of carp production and their impacts on the environment, 129 (1995) 347

Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Ctenopharyngodon idellus
Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Culture methods
Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia, 136 (1995) 231

Culture methods — algae
A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta), 130 (1995) 43

Culture methods — crustaceans
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) II. Juvenile nutrition and habitat, 138 (1995) 239

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) III. Managed pond production trials, 138 (1995) 247

Culture methods – fish
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Culture methods — molluscs
Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis* (Iredale and Roughley) selective breeding program, 131 (1995) 189

Cyanobacteria / human nutrition
Compositional and toxicological evaluation of the diazotrophic cyanobacterium, *Cyanothece* sp. strain ATCC 51142, 134 (1995) 339

Cyanothece
Compositional and toxicological evaluation of the diazotrophic cyanobacterium, *Cyanothece* sp. strain ATCC 51142, 134 (1995) 339

Cyclin B
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Cyprinidae
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Cyprinids
Equipment for the production and processing of carp, 129 (1995) 443

Cyprinids – general
Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Cyprinus carpio
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

Genome and gene manipulation in the common carp, 129 (1995) 157

Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193

Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205

Nutrient requirements, supply and utilization in the context of carp culture, 129 (1995) 225

Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment, 129 (1995) 329

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Management of pond ecosystems and trophic webs, 129 (1995) 373

Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp (*Cyprinus carpio*), 129 (1995) 431

Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Maternal influence on development of androgenetic clones of common carp, *Cyprinus carpio* L., 137 (1995) 139

Inheritance of recombinant carp ß-actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchonius*), 129 (1995) 211

Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate, 137 (1995) 203

Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Cyprinus carpio* var. *specularis

Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight, 129 (1995) 323

Cytogenetics

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Cytokines

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Cytotoxicity

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Danube River

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Degradation rate constants

Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

Demand feeding

Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered raceways or demand fed, 136 (1995) 131

Denitrification

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Density

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field test of site, clam size, and intraspecific density, 130 (1995) 145

Developing countries

A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Development

Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Diagnostic parameters

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Dicentrarchus labrax

Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α-methyltestosterone prior to sex differentiation, 135 (1995) 329

Early muscle injuries in a standard reared stock of sea bass *Dicentrarchus labrax*, (L.), 138 (1995) 69

Dichlorvos

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Dietary lipid
Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Dietary protein
Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

Dietary requirements
The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

Dietary value
Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

Diets
Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Digestibility
Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Digestive gland enzymes
Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Digestive tract
Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

17α,20β-dihydroxy-4-pregnen-3-one
Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Diploidy
Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Disaccharides
Utilization of disaccharides by juveniie tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 249

Disc diffusion
Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Disease control
Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production, 136 (1995) 195

Disease resistance
Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

Diseases and their control – crustaceans
A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in Madras, India, 130 (1995) 129

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Diseases and their control – fish
Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Distribution and elimination of [^{14}C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout, *Oncorhynchus mykiss* Walbaum, in Scotland, 133 (1995) 341

Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopode parasite, *Ceratothoa gaudichaudii*, 134 (1995) 9

Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictarulus punctatus*, 134 (1995) 237

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation, 138 (1995) 35

Diseases and their control — molluscs

Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation, 132 (1995) 195

Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Diseases and their treatment–fish

An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

Distribution

Distribution and elimination of [^{14}C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Divergent selection

Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

DMSO

Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Docosahexaenoic

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Docosahexaenoic acid (DHA)

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Domestication

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Domoic acid

Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds, 131 (1995) 253

Dopamine

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

The endocrinology of growth in carp and related species, 129 (1995) 299

Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161

Dopaminergic receptor
Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161

Downstream migration
Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Economics
Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Edwardsiella ictaluri
Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictarulus punctatus*, 134 (1995) 237

Effluents
Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Egg / fish — composition
Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

Egg composition
Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.)., 134 (1995) 169

Eggs
Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Eicosapentaenoic acid
Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Eicosapentaenoic acid (EPA)
Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Elimination
Distribution and elimination of [^{14}C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Embryology
Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

Embryonic development
The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

Endocrine profiles
Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Endocrinology
Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Energy
Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Enrichment
Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Enrichment emulsions
Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Enteric septicemia
Analysis of a diallel cross to estimate effects of crossing on resistance to enteric septicemia in channel catfish, *Ictalurus punctatus*, 137 (1995) 263

***Enterococcus* sp.**
Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Environment
Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

Environmental factors
Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

Environmental impact
Different systems of carp production and their impacts on the environment, 129 (1995) 347

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Enzymatic polymorphism
Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Enzyme-linked immunosorbent assay (ELISA)
Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Enzyme pH-activity profiles
Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Enzymology
Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Epidemiology
Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production, 136 (1995) 195

Epinephelus striatus
Hatchery study of the effects of temperature on eggs and yolksac larvae of the Nassau grouper *Epinephelus striatus*, 136 (1995) 141

Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Epinephelus tauvina
Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait, 136 (1995) 21

Erythrocyte
The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Essential elements
The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

Estradiol
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Estuary
Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain), 138 (1995) 131

Evolution

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Extension work

Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Extrusion processing

Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Eyestalk ablation

Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk ablation on jumpers and laggards, 138 (1995) 181

Fats and fatty compounds

Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187

Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus monodon*, 133 (1995) 275

Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Fecundity

Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Feeders

Equipment for the production and processing of carp, 129 (1995) 443

Feeding and nutrition — crustacean

Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system, 136 (1995) 323

Feeding and nutrition — crustaceans

Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Use of the golden apple snail, cassava, and maize as feeds for the tiger shrimp, *Penaeus monodon*, in ponds, 131 (1995) 91

Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B_1, 131 (1995) 155

Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* naupliii, 131 (1995) 239

Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources, 131 (1995) 279

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon*, 134 (1995) 313

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) II. Juvenile nutrition and habitat, 138 (1995) 239

Feeding and nutrition—crustaceans / digestibility
Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus monodon*, 133 (1995) 275

Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Feeding and nutrition – fish
Validation of a model of 2-year-old carp growth, 129 (1995) 337

The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds, 131 (1995) 253

Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

Effects of dietary protein and lipid levels on growth and body composition of sunshine bass (*Morone chrysops* × *M. saxatilis*) reared in cages, 131 (1995) 291

Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 147

Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 249

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.)., 134 (1995) 169

Feeding and nutrition —fish / digestibility
Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules, 134 (1995) 269

Feeding and nutrition — fish / disease resistance
Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictarulus punctatus*, 134 (1995) 237

Feeding and nutrition—fish / feed intake
Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Feeding and nutrition — fish / metabolism
Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

Effects of feeding the repartitioning agent L644,969 on growth and body composition of blue catfish, *Ictalurus furcatus*, fed diets containing two protein levels reared in cages, 134 (1995) 247

Feeding and nutrition — fish / nutrient utilization
Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Feeding and nutrition — fish – behaviour
The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo salar* L.) in a marine net pen, 130 (1995) 167

Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens, 131 (1995) 49

Feeding and nutrition-fish-diet composition
Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331

Feeding and nutrition — fish – feed composition
Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance, 130 (1995) 177

Feeding and nutrition — fish – physiology
Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

Feeding and nutrition — fish – protein sources
Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Feeding and nutrition — fish — rate
Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Feeding and nutrition—fish — reproduction
Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Feeding and nutrition — fish – utilisation
Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Feeding and nutrition —invertebrates
Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda: Harpacticoida), 134 (1995) 113

Feeding and nutrition—molluscs
Effect of food supply on oyster spatfall, 131 (1995) 315

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65

Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference, 134 (1995) 279

Feeding and nutrition — molluses
Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313

Feeding and nutrition — pellet dimensions
The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo salar* L.) in a marine net pen, 130 (1995) 167

Feeding level
Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Feeding rate
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Feeding regimen
Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Feedstuffs
Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Fertilisation
Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperrima*, 136 (1995) 117

Fertility
Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Fertilization
Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Fertilization envelope
Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Fertilizer
Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291

Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Fertilizing capacity
Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Filter design
Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Filtration — fish
Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Final oocyte maturation
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Fin erosion
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered raceways or demand fed, 136 (1995) 131

Fish
Automatic fish population counting by artificial neural network, 133 (1995) 45

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Fish and shellfish mariculture
Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system, 136 (1995) 313

Fish culture
Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Fish culture effluents
Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

Fish cytogenetics
Chromosomal location of Nors and C bands in F_1 hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Fish feed
Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony formation on oxytetracycline-containing media, 134 (1995) 227

Fish hybrids
Chromosomal location of Nors and C bands in F_1 hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Fish meal
Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

Fish-ponds
Management of pond ecosystems and trophic webs, 129 (1995) 373

Fitness
Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Fixation
Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Flesh quality
Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Fluctuating asymmetry
Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids, 137 (1995) 77

Flumequine
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Fluorescent antibody technique (FAT)
Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Foregut evacuation
Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Fumonisin B_1
Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Fungi
Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Furazolidone
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Furunculosis
Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Fusarium moniliforme
Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Gadoids
A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

Gadus morhua
Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens, 131 (1995) 49

Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Gametogenesis
Spawning peak occurs during winter in the Japanese subtropical population of the pearl oyster, *Pinctada fucata fucata* (Gould, 1850), 133 (1995) 207

Gametogenic cycle
Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia (N.W. Spain), 130 (1995) 269

Gastric fluid
Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Gastric gland
The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Genebank
Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193

Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Genetically modified organisms
A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Incorporating risk assessment and risk management into public policies on genetically modified finfish and shellfish, 137 (1995) 9

Genetic diversity
Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Genetic markers
RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Genetics
Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205

RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

Juvenile growth performance among stocks and families of red claw crayfish, *Cherax quadricarinatus* (von Martens), 134 (1995) 29

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Genetic variation
Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Genomic DNA
Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

GE-positive
Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

Gill
The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

Gizzerosine
Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

GnRH
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

GnRH analog
GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

GnRH analogs
Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119

Gonad
Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Gonadal development
Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Gonadal morphogenesis
Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α-methyltestosterone prior to sex differentiation, 135 (1995) 329

Gonadotrophins
Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Gonadotropin-releasing hormone
The endocrinology of growth in carp and related species, 129 (1995) 299

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Gonads

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Gracilaria chilensis

A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta), 130 (1995) 43

Grass prawn

Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43

Growth

Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile barramundi *Lates calcarifer* (Bloch), 138 (1995) 159

Growth —crustacean

Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system, 136 (1995) 323

Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B_1, 131 (1995) 155

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Juvenile growth performance among stocks and families of red claw crayfish, *Cherax quadricarinatus* (von Martens), 134 (1995) 29

Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk ablation on jumpers and laggards, 138 (1995) 181

Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*), 138 (1995) 267

Growth – fish

Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187

Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Growth and meat quality relations in carp, 129 (1995) 265

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance, 130 (1995) 177

Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373

Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Effects of dietary protein and lipid levels on growth and body composition of sunshine bass (*Morone chrysops* × *M. saxatilis*) reared in cages, 131 (1995) 291

Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus* L.) reared in large tanks for 3 years, 138 (1995) 281

Growth hormone

The endocrinology of growth in carp and related species, 129 (1995) 299

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Inheritance of recombinant carp ß-actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Growth hormone receptors

The endocrinology of growth in carp and related species, 129 (1995) 299

Growth-hormone-releasing factor

The endocrinology of growth in carp and related species, 129 (1995) 299

Growth — molluscs

Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation, 132 (1995) 195

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean

scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

Growth — molluses
Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389

Growth Rate
Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate, 137 (1995) 203

GTH-I
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

GTH-II
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Gut antigens
The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837), 132 (1995) 221

Gynogenesis
Genome and gene manipulation in the common carp, 129 (1995) 157

Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267

Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57

Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*), 137 (1995) 109

Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

Gynogens
Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185

Gyprinus carpio
Growth and meat quality relations in carp, 129 (1995) 265

Haematology
Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1

Haematopoietic organs
Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125

Haemolymph
Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Haemolysis
Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Haliotis australis
A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Haliotis discus hannai
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Haliotis iris

A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Haliotis rubra

Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference, 134 (1995) 279

***Haliotis rubra;* Algae**

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Haliotis tuberculata

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Handling

A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Harpacticoid copepod culture

Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system, 136 (1995) 313

Harvesting equipment

Equipment for the production and processing of carp, 129 (1995) 443

Hatchery

Evidence of a chemically mediated adult–larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Hatchery production

Equipment for the production and processing of carp, 129 (1995) 443

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Health

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Helicometra fasciata

A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Hemocytes

Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Hepatocyte

Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59

Heterobranchus longifilis

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Heteroplasmy

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Heterosis

Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Hippoglossus hippoglossus

First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus* L.) reared in large tanks for 3 years, 138 (1995) 281

Histamine

Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

Histology

Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B_1, 131 (1995) 155

Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

History

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Homozygous clones

Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57

Hormone

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Hormone administration

A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Hormones

Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

HPLC

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

HUFA

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Husbandry

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Hybrid

Sexual maturation and fertility of diploid and triploid Atlantic salmon × brown trout hybrids, 137 (1995) 299

Hybridization

A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchonius*), 129 (1995) 211

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Hybrids

Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids, 137 (1995) 77

Hybrid striped bass

Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Hydrogen sulphide
The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

20β-Hydroxysteroid dehydrogenase
In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Hyperglycaemia
Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161

Hyperglycaemic hormone
Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Hypo-osmotic shock
Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Hypophthalmichthys molitrix
Different systems of carp production and their impacts on the environment, 129 (1995) 347

Chromosomal location of Nors and C bands in F_1 hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Ictalurus furcatus
Effects of feeding the repartitioning agent L644,969 on growth and body composition of blue catfish, *Ictalurus furcatus*, fed diets containing two protein levels reared in cages, 134 (1995) 247

Ictalurus punctatus
Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Distribution and elimination of [^{14}C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185

Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictarulus punctatus*, 134 (1995) 237

Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Analysis of a diallel cross to estimate effects of crossing on resistance to enteric septicemia in channel catfish, *Ictalurus punctatus*, 137 (1995) 263

Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

IGF-binding proteins
In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass, *Morone saxatilis*, 135 (1995) 195

IGF receptors
The endocrinology of growth in carp and related species, 129 (1995) 299

IgM molecular weight
Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

IgM purification
Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

Immune responsiveness
Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

Immunocompetance
Androgens and immunocompetence in salmonids: specific binding in and reduced immunocompetence of salmonid lymphocytes exposed to natural and synthetic androgens, 136 (1995) 363

Immunoglobulin
Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

Immunology
Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Knowledge and research prospects in marine mollusc and crustacean immunology, 132 (1995) 17

Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Immunostimulant
Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Inbred lines
Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow trout, 137 (1995) 67

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Inbreeding
Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Effects of inbreeding on growth and survival of self-fertilized catarina scallop larvae, *Argopecten circularis*, 134 (1995) 37

Incubation
Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperrima*, 136 (1995) 117

Indicator
Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Indicator organisms
Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257

Indonesia
Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Induced spawning
Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Induced triploidy
Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions, 137 (1995) 343

Infection protocol
Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Infectious pancreatic necrosis virus
Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1

In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91

Inheritance
Inheritance of recombinant carp ß-actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Innervation
Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Insecticides
Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopode parasite, *Ceratothoa gaudichaudii*, 134 (1995) 9

Insemination
Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Insulin-like growth factor
The endocrinology of growth in carp and related species, 129 (1995) 299

Intellectual property
A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Internal
Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Interrenal
Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Interspecific
Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Intracellular pH
Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Introgressive hybridization
Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

Invertebrates
Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

Investigation
An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

In vitro steroidogenesis
In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Isolation
Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Japanese eel
Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Juvenile survival and growth
Effects of management on survival and growth of Stage 2 juvenile freshwater signal crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions, 133 (1995) 123

Karyology
Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Karyotype
Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchonius*), 129 (1995) 211

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

11-Ketotestosterone
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Kuruma prawn
Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Labeo fimbriatus
Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187

Labeo rohita
Different systems of carp production and their impacts on the environment, 129 (1995) 347

Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331

Labile period
Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α-methyltestosterone prior to sex differentiation, 135 (1995) 329

Laboratory management
Effects of management on survival and growth of Stage 2 juvenile freshwater signal crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions, 133 (1995) 123

Land-based farms
Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Larva
Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Larvae – development
Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187

Larval
Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Larval and spat survival
Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389

Larval development
Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

Larval fish
Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Larval fish culture
Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Larval rearing
Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Larval rearing — fish
Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Larval settlement
Evidence of a chemically mediated adult–larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Larval survival
Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile, 138 (1995) 49

Larviculture
Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Lates calcarifer
Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile barramundi *Lates calcarifer* (Bloch), 138 (1995) 159

Lecithochirium furcolabiatum
A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Leiostomus xanthurus
Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59

Lepeophtheirus salmonis
The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837), 132 (1995) 221

Leucocytes
In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Leydig cell
Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Life history
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Light
Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Lipid
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65

Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Lipid metabolism
Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Lipoid liver
Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Lipophilized gelatin
A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Lipophrys pholis
A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Live food
Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda: Harpacticoida), 134 (1995) 113

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Liver
Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

Loma salmonae
The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout, *Oncorhynchus mykiss* Walbaum, in Scotland, 133 (1995) 341

Long-term culture
Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59

Long-term preservation
Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Luciferase gene
Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Lupin meal
Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Lysine
Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources, 131 (1995) 279

Macrobrachium rosenbergii
Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk ablation on jumpers and laggards, 138 (1995) 181

Macrozoarces americanus
Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Magnesium
Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Marine fish
Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Marine fish juveniles
Comparative acute ammonia toxicity in marine fish and plasma ammonia response, 136 (1995) 181

Marker assisted selection
Heterogeneity in the body size of Ontario cultured rainbow trout with different mitochondrial DNA haplotypes, 137 (1995) 231

Masculinization
Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α-methyltestosterone prior to sex differentiation, 135 (1995) 329

Maternal lineage
Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Maturation
GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Maturation-inducing factor
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Meat quality
Growth and meat quality relations in carp, 129 (1995) 265

Mechanisation
Equipment for the production and processing of carp, 129 (1995) 443

Meiobenthos
Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system, 136 (1995) 313

Meiosis
Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Meiotic gynogenesis
Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Meretrix lusoria
The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Merlangius merlangus
A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

Metamorphosis
The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

17α-Methyltestosterone
Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α-methyltestosterone prior to sex differentiation, 135 (1995) 329

Metoclopramide
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Metomidate
Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Microalgae
Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Microbiological quality
The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Microbiology
Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257

Microcapsules
Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Microencapsulated food
Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules, 134 (1995) 269

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Micropyle
Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Microsatellite markers
DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Microspora
A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Migratory behavior
Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Minisatellite DNA
A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Misgurnus anguillicaudatus
Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids, 137 (1995) 131

Misgurnus mizolepis

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Modeling

The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

Molluscs

Knowledge and research prospects in marine mollusc and crustacean immunology, 132 (1995) 17

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Molting

Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205

Monodon baculovirus

A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in Madras, India, 130 (1995) 129

Monosex culture

Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267

Moribundity

An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

Morone chrysops* × *M. saxatilis

Effects of dietary protein and lipid levels on growth and body composition of sunshine bass (*Morone chrysops* × *M. saxatilis*) reared in cages, 131 (1995) 291

Morone saxatilis

The duration of the interval associated with successful inflation of the swimbladder in larval striped bass (*Morone saxatilis*), 131 (1995) 135

Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass, *Morone saxatilis*, 135 (1995) 195

Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

***Morone* spp.**

Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Morphological abnormalities

Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Morphological traits

Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight, 129 (1995) 323

Morphometry

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Mortality

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Motility

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Multiple low-level resistance

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Multiple resistance

Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony

formation on oxytetracycline-containing media, 134 (1995) 227

Muscle

Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight, 129 (1995) 323

Early muscle injuries in a standard reared stock of sea bass *Dicentrarchus labrax*, (L.), 138 (1995) 69

Muscle fatty acids

Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Mya arenaria

Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field test of site, clam size, and intraspecific density, 130 (1995) 145

Mycotoxins in feeds

Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Mytilus edulis

Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation, 132 (1995) 195

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

Mytilus galloprovincialis

Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia (N.W. Spain), 130 (1995) 269

Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain), 138 (1995) 131

***Nannochloropsis* / frozen**

Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Natural spawning migration

In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Nautral killer activity

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Nerve

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Neuropeptide

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Neuropeptide Y

The endocrinology of growth in carp and related species, 129 (1995) 299

Nishikigoi

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Nitrate removal

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Nitrification

Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Nitrogen

Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

Nitrogen / organic —degradation

Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211

Non-algal POM
Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

NOR
Chromosomal location of Nors and C bands in F_1 hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Northern Italy
Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Nursery production
Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Nutrient requirements
Nutrient requirements, supply and utilization in the context of carp culture, 129 (1995) 225

Nutrient utilization
Nutrient requirements, supply and utilization in the context of carp culture, 129 (1995) 225

Oestradiol-17β
Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Offspring fitness
Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Oka organ
Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43

Oncorhynchus clarki
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered raceways or demand fed, 136 (1995) 131

Oncorhynchus gorbuscha
Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*), 137 (1995) 109

Oncorhynchus keta
Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Oncorhynchus kisutch
Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Oncorhynchus mykiss
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance, 130 (1995) 177

The production of functional sex-reversed male rainbow trout with 17α-methyltestosterone and 11β-hydroxyandrostenedione, 131 (1995) 145

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds, 131 (1995) 253

Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout, *Oncorhynchus mykiss* Walbaum, in Scotland, 133 (1995) 341

Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss*, 134 (1995) 137

Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow trout, 137 (1995) 67

Incidence of albinos as a monitor for induced triploidy in rainbow trout, 137 (1995) 121

Heterogeneity in the body size of Ontario cultured rainbow trout with different mitochondrial DNA haplotypes, 137 (1995) 231

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Oncorhynchus nerka

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Oncorhynchus tshawytscha

Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

Oocyte growth

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.)., 134 (1995) 169

Oogenesis

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Oreochromis aureus

Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

Oreochromis aureus; Pseudofemales

Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Oreochromis niloticus

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.)., 134 (1995) 169

Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57

Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions, 137 (1995) 343

Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

Oreochromis spp.

L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 147

Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 249

Organ culture
In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass, *Morone saxatilis*, 135 (1995) 195

Organic fertilization
Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Organic matter
Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211

Organic particles
Production of growth-enhancing particles in a plastic-lined shrimp pond, 132 (1995) 253

Organoleptic properties
The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Organoleptic tests
Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Ormethoprim
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Ormetoprim
Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Ostariophysi
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Ostrea chilensis
Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

Ostrea edulis
Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Effect of food supply on oyster spatfall, 131 (1995) 315

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Ostrea puelchana
Evidence of a chemically mediated adult–larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Ovarian differentiation
Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate, 137 (1995) 203

Ovarian fluid
Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Ovarian maturation
Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Ovary
Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Overwintering
Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field test of site, clam size, and intraspecific density, 130 (1995) 145

Ovulation
GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Oxolinic acid
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Oxygen
Allometric relationships and effects of temperature on clearance and oxygen

consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Oxygen consumption
Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of *Penaeus chinensis* exposed to ambient ammonia at different salinity and pH levels, 136 (1995) 243

Oxytetracycline
Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Oxytetracycline resistance
Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony formation on oxytetracycline-containing media, 134 (1995) 227

Oysters
Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

p34^{cdc2}
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Pacifastacus leniusculus
Effects of management on survival and growth of Stage 2 juvenile freshwater signal crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions, 133 (1995) 123

Paralichthys olivaceus
Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Parasite – encapsulation
Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Parasites
Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Parasites — seasonal study
A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Parr-smolt transformation
Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Pasteurella piscicida
Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Paternal genome
Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Pathology
Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

PCR
A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

Pecten fumatus
Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve, 131 (1995) 231

Pedigree
DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Penaeid postlarvae
Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India, 130 (1995) 287

Penaeid prawns
Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus*

monodon) in aquaculture environments, 136 (1995) 57

Penaeids

Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161

Penaeus chinensis

Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of *Penaeus chinensis* exposed to ambient ammonia at different salinity and pH levels, 136 (1995) 243

Penaeus esculentus

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Penaeus indicus

Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India, 130 (1995) 287

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Penaeus japonicus

Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Penaeus kerathurus

Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187

Penaeus monodon

A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in Madras, India, 130 (1995) 129

RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Use of the golden apple snail, cassava, and maize as feeds for the tiger shrimp, *Penaeus monodon*, in ponds, 131 (1995) 91

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus monodon*, 133 (1995) 275

Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon*, 134 (1995) 313

Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43

Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57

Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system, 136 (1995) 323

Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257

Penaeus paulensis

Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967, 132 (1995) 339

Penaeus setiferus

Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

Penaeus vannamei

Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources, 131 (1995) 279

Production of growth-enhancing particles in a plastic-lined shrimp pond, 132 (1995) 253

Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Performance
Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Perkinsus atlanticus
A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

***Perkinsus* sp.**
Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Peroxidation
Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

pH
Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Pharmacokinetics
Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Phospholipid
Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Phosphorus
Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

***Photobacterium* spp.**
Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Photoperiod
Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water, 135 (1995) 275

Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile barramundi *Lates calcarifer* (Bloch), 138 (1995) 159

Photostability
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Phototaxis
Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

phsp 70 promoter
Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Phytoestrogens
Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Pigmentation
First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

Pinctada fucata
Spawning peak occurs during winter in the Japanese subtropical population of the pearl oyster, *Pinctada fucata fucata* (Gould, 1850), 133 (1995) 207

Pinctada margaritifera
Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia, 133 (1995) 113

Pituitary gland
Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Pituitary–interrenal axis
Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

PjNOB
Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Plankton
Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Plastic liner
Production of growth-enhancing particles in a plastic-lined shrimp pond, 132 (1995) 253

Plecoglossus altivelis
Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Pleistophora anguillarum
A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Ploidy manipulation
Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Poecilia sphenops
Production of ZZ females in the female-heterogametic black molly, *Poecilia sphenops*, by endocrine sex reversal and progeny testing, 136 (1995) 81

Polymorphism
Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Polyploidy
Genome and gene manipulation in the common carp, 129 (1995) 157

Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Pond culture
Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

Pond forms
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Pond preparation
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Pond production
Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) III. Managed pond production trials, 138 (1995) 247

Population counting
Automatic fish population counting by artificial neural network, 133 (1995) 45

Porphyra suborbiculata
Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Porphyra yezoensis
Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Portugal
A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Postmortem
Growth and meat quality relations in carp, 129 (1995) 265

Post-smolts
Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Potassium channel inhibitors
Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Pressure shock
Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Procambarus clarkii
Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205

Processing
Equipment for the production and processing of carp, 129 (1995) 443

Production systems – carp
Different systems of carp production and their impacts on the environment, 129 (1995) 347

Progeny test
Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Protein
Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*), 138 (1995) 291

Protein/energy ratio
Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Protein and amino acids
Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

Protein requirements
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Proteins and amino acids
Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.)., 134 (1995) 169

Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon*, 134 (1995) 313

Protein-sparing
Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Protein-sparing effect
Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331

Proximate analysis
Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Pseudofemales
Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

Puberty development
Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.)., 134 (1995) 169

Puntius gonionotus
Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267

Quantitative characteristics
Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Quinaldine sulfate
The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Rabbitfish
Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149

Raceways
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Randomly amplified polymorphic DNA (RAPD)
RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Rapeseed protein concentrate
Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

Recirculating systems
Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Recruitment
Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain), 138 (1995) 131

Recruitment studies
Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia, 136 (1995) 231

Regression model
Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Releasing property
A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Renibacterium salmoninarum

Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Reproduction

Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.)., 134 (1995) 169

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Reproduction — fish

Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Reproduction — molluscs

Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia (N.W. Spain), 130 (1995) 269

Spawning peak occurs during winter in the Japanese subtropical population of the pearl oyster, *Pinctada fucata fucata* (Gould, 1850), 133 (1995) 207

Rheotaxis

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Rhombosolea tapirina

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Risk assessment

Incorporating risk assessment and risk management into public policies on genetically modified finfish and shellfish, 137 (1995) 9

Risk management

Incorporating risk assessment and risk management into public policies on genetically modified finfish and shellfish, 137 (1995) 9

Robertsonian translocation

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Ruditapes decussatus

A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

Ruditapes philippinarum

A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Ruditapes semidecussatus

Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Saccostrea commercialis

Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis* (Iredale and Roughley) selective breeding program, 131 (1995) 189

Salinity

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae, 135 (1995) 343

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of *Penaeus chinensis* exposed to ambient ammonia at different salinity and pH levels, 136 (1995) 243

Salinity tolerance

Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India, 130 (1995) 287

Salmonella

Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291

Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257

Salmonid

Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids, 137 (1995) 77

Salmonids

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Androgens and immunocompetence in salmonids: specific binding in and reduced immunocompetence of salmonid lymphocytes exposed to natural and synthetic androgens, 136 (1995) 363

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Viruses and viral diseases of salmonids, 132 (1995) 43

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Salmon louse

The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837), 132 (1995) 221

Salmo salar

The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo salar* L.) in a marine net pen, 130 (1995) 167

Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopode parasite, *Ceratothoa gaudichaudii*, 134 (1995) 9

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water, 135 (1995) 275

The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production, 136 (1995) 195

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Applications of selection for multiple traits in cage-reared Atlantic salmon (*Salmo salar*), 137 (1995) 213

Sexual maturation and fertility of diploid and triploid Atlantic salmon ×brown trout hybrids, 137 (1995) 299

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*), 138 (1995) 291

Salmo trutta

The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

Sexual maturation and fertility of diploid and triploid Atlantic salmon ×brown trout hybrids, 137 (1995) 299

Salvelinus alpinus

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

Sarafloxacin

Distribution and elimination of [^{14}C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Sciaenops ocellatus

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Scophthalmus maximus

Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1

Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125

Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Sea lice control
The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Seawater ions
Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Seaweeds
A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta), 130 (1995) 43

Sediment quality
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Sediments
Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Seeding ice formation
Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Selection
A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Selection conditions
Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony formation on oxytetracycline-containing media, 134 (1995) 227

Selection indices
Applications of selection for multiple traits in cage-reared Atlantic salmon (*Salmo salar*), 137 (1995) 213

Semi-purified diet
Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Septage-fed aquaculture
The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Sequential changes
The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Serotonin
Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperrima*, 136 (1995) 117

Serratia liquefaciens
Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

Setting
Effect of food supply on oyster spatfall, 131 (1995) 315

Sex control
Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Sex determination
Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267

Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57

Sex manipulation
Genome and gene manipulation in the common carp, 129 (1995) 157

Sex reversal
Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Production of a high percentage of male offspring with 17α-ethynylestradiol sex-reversed

Oreochromis aureus. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

The production of functional sex-reversed male rainbow trout with 17α-methyltestosterone and 11β-hydroxyandrostenedione, 131 (1995) 145

Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Production of ZZ females in the female-heterogametic black molly, *Poecilia sphenops*, by endocrine sex reversal and progeny testing, 136 (1995) 81

Hormonal induction of sex reversal in fish, 138 (1995) 1

Sex steroids

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α-methyltestosterone prior to sex differentiation, 135 (1995) 329

Sexual maturation

The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus* L.) reared in large tanks for 3 years, 138 (1995) 281

Shrimp farming

Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291

Shrimp waste

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Siganus lineatus

Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149

Silage

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Sinus gland

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Size grading

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Skin mucus

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Sludge accumulation

Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

Smolt

Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water, 135 (1995) 275

Smoltification

Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Smolt rate

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Soft-shell crawfish

Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205

Somatolactin

Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Somatostatin
The endocrinology of growth in carp and related species, 129 (1995) 299

Soybean meal
Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Soybean protein
Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Sparid culture
Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

Sparus aurata
Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules, 134 (1995) 269

The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae, 135 (1995) 343

Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Spatfall
Effect of food supply on oyster spatfall, 131 (1995) 315

Spawning
Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve, 131 (1995) 231

Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperrima*, 136 (1995) 117

Spawning induction
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Spawning quality
Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Spermatogenesis
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Spermatozoa
Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Spermiation
Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Sperm motility
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Startfeeding
First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Starvation
Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Steroidogenesis
Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Steroids
Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Hormonal induction of sex reversal in fish, 138 (1995) 1

Stizostedion vitreum
Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation, 138 (1995) 35

Stocking density
Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Storage
The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Streamer tags
Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57

Stress
Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Stress response
Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Substrate
Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Sulfadiazine
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Sulfadimethoxine
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Sulphadimethoxine
Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Supplemental diets
Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Survival

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Survival and growth

Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57

Susceptibility testing

Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Swimbladder

The duration of the interval associated with successful inflation of the swimbladder in larval striped bass (*Morone saxatilis*), 131 (1995) 135

The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae, 135 (1995) 343

Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation, 138 (1995) 35

Tagging

Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57

Tank culture

Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Tansgenic fish

Inheritance of recombinant carp ß-actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Tapes dorsatus

Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389

Tapes philippinarum

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Taxonomy

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Techniques-anaerobic digestion

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Techniques — cell culture

Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Techniques – dot-blot

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Techniques—feeding and nutrition

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Techniques—fluorescence

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Techniques—genetics

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Techniques – immunofluorescence
Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Techniques – immunology
Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Techniques—orthogonal array design
Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Techniques — particle size fractionation
Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

Techniques-pearl cultivation
Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia, 133 (1995) 113

Techniques – slide agglutination test
Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Temperative;*Crassostrea gigas*
Allometric relationships and effects of temperature on clearance and oxygen consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Temperature
Growth and meat quality relations in carp, 129 (1995) 265

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*), 138 (1995) 267

Territory
Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Testis
Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Tetraploid
Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids, 137 (1995) 131

Tetraselmis suecica
Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Thermal control
Hatchery study of the effects of temperature on eggs and yolksac larvae of the Nassau grouper *Epinephelus striatus*, 136 (1995) 141

Thioglycollate diagnosis
A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

Thyroid
Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Thyroid hormone
The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Thyroid hormone receptor
The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Thyroid hormones
Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Thyroxine
Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Tigriopus fulvus
Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda: Harpacticoida), 134 (1995) 113

Tilapia
Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Timing of stripping
Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*), 137 (1995) 109

Tinca tinca
Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119

Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Tissues
Growth and meat quality relations in carp, 129 (1995) 265

Changes in specific carp immune reaction caused by addition of fish oil to pellets, 129 (1995) 425

α-Tocopherol
Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

Tolerance
Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss*, 134 (1995) 137

Toxicity
Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967, 132 (1995) 339

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Toxicology
Compositional and toxicological evaluation of the diazotrophic cyanobacterium, *Cyanothece* sp. strain ATCC 51142, 134 (1995) 339

Toxins
Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Transferrin polymorphism
Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193

Transgenic
Genome and gene manipulation in the common carp, 129 (1995) 157

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Transgenic salmon
Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Transient expression
Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Transportation
Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Tricaine
The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Trimethoprim
Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Triploid
Sexual maturation and fertility of diploid and triploid Atlantic salmon ×brown trout hybrids, 137 (1995) 299

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Triploidy
Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Incidence of albinos as a monitor for induced triploidy in rainbow trout, 137 (1995) 121

Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Trophic webs
Management of pond ecosystems and trophic webs, 129 (1995) 373

Tropical pond culture
Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions, 137 (1995) 343

Tunicates
Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Undiluted passaging
The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Vaccination
Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125

Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Vernacular names
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Viability
Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Vibrio anguillarum
Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125

Vibrio furnissii
Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Vibrio harveyi
Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait, 136 (1995) 21

***Vibrio* spp.**
Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Viral diseases
Viruses and viral diseases of salmonids, 132 (1995) 43

Virion polypeptides
The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Viruses
Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Viruses and viral diseases of salmonids, 132 (1995) 43

The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Vitamins
The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 147

Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss*, 134 (1995) 137

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Vitelline envelope
Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Vitellogenesis
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Vitellogenic follicles
In vitro biosynthesis of oestradiol-17β and 17α,20β-dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

VNTR loci
A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Volatile fatty acids
Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

W/O/W emulsions
A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Water quality
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211

Wild forms
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Winter feeding
Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictarulus punctatus*, 134 (1995) 237

Wrasse
The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Xylocaine
Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp (*Cyprinus carpio*), 129 (1995) 431

Yield
Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Yolk-sac larvae
Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

YY-males
Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Zinc methionine
Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Zinc sulfate
Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Seasonal cycles
Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

Penaeus vannamei
Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*), 138 (1995) 267

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193